PLOMB
Streamlined
TOOLS
for ARMY • NAVY • INDUSTRY

CATALOG NUMBER 19-R

REPRINT

© BY PLOMB TOOL COMPANY

PLOMB

Streamlined Tools

FOR ARMY, NAVY AND ALL INDUSTRIES

Automotive • Aviation • Railroad

Mining • Oil Country • Plumbing

Marine • Utilities

THE PLOMB GUARANTEE

Plomb Tools are forged from the finest steels, scientifically heat-treated. They are guaranteed to perform the work for which they are designed and intended to be used, and to last as long as is consistent with ordinary wear and tear. Any Plomb Tool that may be found defective in workmanship or material, and is returned to the factory, charges prepaid, will, at our option, be replaced, or repaired, or credited at current prices.

There are a few items listed in the catalog marked "no replacement". They are few and represent tools made extremely light, which will give good lasting service in skilled hands.

NOTICE—Government regulations controlling finishes, materials, sizes and types may make substitutions necessary without notice or regard to catalog descriptions.

PLOMB TOOL COMPANY

Main Office and Plant - 2209 Santa Fe Avenue, Los Angeles 54, California

Phone JEfferson 4181

EIGHT WAREHOUSE STOCKS THROUGHOUT THE COUNTRY

Atlanta, Ga.
[illegible] St., N. E.
Phone: Ma[illegible]

Dallas, Texas
2810 Main St.
Phone: [illegible]-6128

Los Angeles, Calif.
2209 Santa Fe Ave.
Phone: Jefferson 4181

Pittsburgh, Pa.
5530 Baum Blvd.
Phone: Mayflower 2545

Chicago, Ill.
[illegible] Indiana Ave.
Phone: Calumet 2[illegible]

Kansas City, Mo.
[illegible]708 E. [illegible] St.
Phone: HA[illegible]

New York, N. Y.
70[illegible] End Ave.
Phone: Trafalgar 7-65[illegible]

Portland, Ore.
9[illegible] W. Burnside St.
Phone: Broadway 6523

TEMPORARILY DISCONTINUED

GENERAL INDEX

Description	Page No.
Adaptors	33, 36, 39
Adjustable Wrenches	56
Adjuster, Valve	59
Aligning Punches	68
Attachments, Socket	25-39
Awls, Scratch	71
Axle Pullers	73
Ball Race Pullers	75
Bars	61
Battery Plier	62
Bearing Pullers	74, 75
Bending Irons	72
Bits, Screw Driver	71
Blacksmith Hammers	78, 79
Blades, Feeler Gauge	60
Blocks, Dolly	77
Body and Fender Tools	77-80
Box and Open End Combination Wrenches	50, 51
Box Wrenches	44-49, 57, 59
Boxes, Tool	17-19, 75, 76
Brake Gauges	60
Brake Spring Plier	62
Brass Hammer	78, 79
Bumping Hammers	78, 79
Bushing Pullers	75
Cabinet Screw Drivers	65
Cabinets, Tool	15-17
Calkers	72
Cape Chisels	68
Carbon Scraper	58
Carburetor Jet Wrench	59
Ceiling Calker	72
Center Punches	68
Chain Nose Plier	63
Chests, Tool	16, 17
Chevrolet Tools	59
Chisels	68-71
Chuck, Spud	71
Cleaners, Ring and Guide	58
Cold Chisels	69, 70
Combination	
Combination Wrenches	44, 45, 50, 51
Compressors, Piston Ring	58
Concrete Drills	71
Concrete Gads	71
Cone Pullers	75
Connecting Rod Sockets	59
Crescent-Type Wrenches	56
Cross Point Screw Drivers	66
Crowfoot Wrenches	29
Cub 3/8" Socket Sets	23, 31
Cutters, Rivet	68
Curved Nose Calking Iron	72
Deep Sockets	26, 30, 34
Diagonal Pliers	62
Diamond Chisels	68
Diesel Wrenches	52
Dinging Hammers	78, 79
Dolly Blocks	77
Drag Link Screw Driver Sockets	33, 59
Drift Punches	69
Drills, Star	71
Drive Plugs	38
Duck Bill Plier	63
"Easy Out" Extractors	57
Elbow Calker	72
Electrical Wrenches	52
Electricians' Screw Drivers	65
Ell Handles	32, 35
Engine Tools	58, 59
Engineers' Wrenches	52-55
Expander, Tubing	72
Extensions, Socket	25, 29, 33, 35, 38, 39
Extractors, Screw	57
Feeler Gauges	60
Fender and Body Tools	77-80
Files and File Handles	61, 77
Finishing Hammers	78, 79
Flare Nut Wrenches	52
Flex Handles	25, 28, 32, 33, 35, 38, 39
Floor Chisels	71
Ford Tools	59
Gads, Concrete	71
Garage Bars	61
Gasket Calkers	72
Gasket Scraper	58
Gauges, Thickness	60
Gear Pullers	73-75
Generator Pullers	75
Go and No-Go Gauges	60
Groove Tools, Piston Ring	58
Guide Cleaner, Valve	58
Half-Moon Wrenches	57
Hammer Pullers, Slide	73
Hammers	78, 79
Handles, File	61, 77
Handles, Socket	25, 28, 32, 33, 35, 38, 39
Hinge Handles	25, 28, 32, 33, 35, 38, 39
Holders, Feeler Gauge	60
Hooks, Packing	71
Ignition Gauges	60
Ignition Plier	63
Ignition Wrenches	52
Impact Sockets	40
Industrial Tools	41-45
Irons, Bending	72
Irons, Yarning	71, 72
Kits, Leatherette	19
L Handles	32, 35
Lead-Picking Tools	71
Leatherette Rolls	19
Lifter, Valve	59
Lining Up Punches	68, 69
Magnetic Trim Hammer	78, 79
Mallet, Rubber	78, 79
Master Tool Chest Sets	2-11
Midget Plier	63
Midget Socket and Wrench Sets	24, 27
Midget Wrenches	48, 49, 52, 53
Mobile Tool Cabinets	15
Needle Nose Plier	62
Obstruction Wrenches	52, 57, 59
Offset Box Wrenches	48, 49
Offset Calkers	72
Offset Screw Drivers	66, 68
Offset Yarning Irons	72
Open End and Box Combination Wrenches	50, 51
Open End Wrenches	52-55
Overhead Valve Adjuster	59
Packing Hooks	71
Pecking Hammers	78, 79
Phillips Screw Driver Sockets	28
Phillips Screw Drivers	66
Picking Tools, Lead	71
Pin Handles	25, 28, 32, 35
Pin Punches	68, 70
Pinch Bars	61
Piston Ring Tools	58
Plastic-Tip Hammers	78, 79
Pliers	62, 63
Plugging Chisel	71
Plugs, Drive	38
Plumbing Tools	71, 72
Pneumatic Wrench Sockets	40
Pony Calkers	72
Power Sockets	40
Prick Punches	68
Production Sockets	40
Pry Bars	61
Pullers	56, 73-76
Pulley Pullers	74
Punches	68-70
Racks, Socket	17
Ratchets	25, 28, 32, 35, 38
Ring Tools, Piston	58
Ripping Bars	61
Rivet Cutters	68
Rivet Punches	68, 70
Rolling Head Bars	61
Rolling Tool Cabinets	15
Rolls, Leatherette	19
Round Nose Chisels	68
Rubber Mallet	78, 79
Scraper, Carbon	58
Scraper, Gasket	58
Scratch Awls	71
Screw Driver Bits	71
Screw Driver Sockets	26, 28, 33, 59, 66
Screw Drivers	64-68
Screw Extractors	57
Sets	
Body and Fender Tool	80
Gauge	60
Punch and Chisel	69, 70
Screw Driver	66, 67
Socket (See Socket Sets)	
Tool	2-14
Wrench	47, 49, 51, 53, 55
Slide Hammer Pullers	73
Sliding Bar Handles	25, 28, 32, 35, 38, 39
Slip Joint Pliers	62, 63
Slugging Wrenches	42, 43
Socket Attachments	25-39
Socket Racks	17
Socket Sets	
1/4" Drive	24, 27
3/8" Drive	23, 31
1/2" Drive	22, 31
3/4" Drive	20, 21, 37
1" Drive	37
Sockets	
1/4" Drive	26
3/8" Drive	28, 30, 66
1/2" Drive	33, 34, 59
3/4" Drive	36, 40
1" Drive	39, 40
Soft-Tipped Hammers	78, 79
Soil Pipe Chisels	71
Spark Plug Sockets	30, 34
Speeder Handles	25, 29, 33
Spring Removing Plier	62
Spring Yarning Irons	71
Spud Chuck	71
Spud End and Box Combination Wrenches	44, 45
Spud Wrench	71
Standard Sizes	80
Star Drills	71
Starting Punches	68, 70
Step-Cut Gauges	60
Striking Wrenches	41
Stubby Wrenches	48, 49
Stud Pullers	56
Tappet Wrenches	57
Tension Wrenches	32
Thickness Gauges	60
Tool Boxes, Cabinets and Chests	15-19, 75, 76
Tool Sets	2-14
Toolmobiles	15
Torque Wrenches	32
Tractor Tool Set	14
Tray, Tool	17
Trim Hammer, Magnetic	78, 79
Tubing Expander	72
Tubing Wrenches	52
Two-in-One Wrenches	50, 51
Universal Joints	25, 28, 33, 34, 36
Universal Sockets	30, 34
Upholstery Hammer	78, 79
Valve Tools	58, 59
Water Main Calkers	72
Water Pump Plier	63
Wedges, Stud Puller	56
Wheel-About Tool Cabinets (See Toolmobiles)	
Wheel Pullers	75, 76
"Wobbles" (Universal Sockets)	30, 34
Wood Chisels	71
Wrecking Bars	61
Wrench Pliers	63
Wrench Sets	47, 49, 51, 53, 55
Wrenches	
Adjustable	56
Box	44-49, 57, 59
Box and Open End Combination	50, 51
Box and Spud End Combination	44, 45
Box, Heavy Duty	44, 45
Carburetor Jet	59
Combination	44, 45, 50, 51
Crescent-Type	56
Crowfoot	29
Diesel	52
Electrical	52
Engineers'	52-55
Flare Nut	52
Ignition	52
Midget	48, 49, 52, 53
Obstruction	52, 57, 59
Offset Box	48, 49
Open End	52-55
Open End and Box Combination	50, 51
Slugging	42, 43
Spud	71
Striking	41
Stubby	48, 49
Tappet	57
Torque	32
Tubing	52
Yarning Irons	71, 72

CATALOG NUMBER INDEX

Catalog No.	Page No.
000A to 000E	60
0015 to 040	60
004/6 to 011/13	60
033	72
1 to 6	70, 71
8	61
13, 14	71, 72
15	68
18 to 21	71, 72
30	68
31 to 33	72
033	72
35, 36	66, 68
37, 38	71
41 to 80	68, 70
84	71
86 to 96	69
100	65
108 to 141	71, 72
206 to 256	62, 63
704 to 712	56
1036 to 1069	45
1100 to 1164	46, 47
1200 to 1246	50, 51
1368 to 1508	77-80
1725 to 1730	57
2110 to 2130	61
2308 to 2337	58
2370 to 2372	71
2401 to 2424	19
2613 to 2650	45
2617SW to 2650SW	41
3000 to 3070	54, 55
3200 to 3332	52, 53
3425 to 3440	57
3716 to 3736	52
4001 to 4071	73-76
4508 to 4534	56
4700	24, 27
4706 to 4785	25, 26
4795	19
4912 to 5030	29, 30
5200	23, 31
5208 to 5224	30
5241 to 5243	28, 66
5249	28
5253, 5254	33
5259 to 5285	28-30
5295 to 5297	17, 18
5340 to 5353	34
5400	22, 31, 34
5402 to 5486	32-34
5495 to 5497	17, 18
5500	20, 21, 37
5528 to 5652	35, 36
5653	33
5660 to 5686	35, 36
5695	18
5700 to 5885	36-39
5894	18
6523 to 6734	59
07512 to 07523	40
8100 to 8185	48, 49
9521 to 9529	57
9600 to 9843	64-67
9920	17
9969	2-5, 15
9980	14, 17
9989	12, 13, 17
9990	10, 11, 16
9998	6-9, 16
07512 to 07523	40
10016 to 10035	40
EST to TPC	61
USN-221 to USN-356	43

This Catalog Designed by
WILLARD G. GREGORY & CO.
Los Angeles

PLOMB Streamlined Tools

Lithographed in U. S. A. by
WESTERN LITHOGRAPH CO.
Los Angeles

MASTER TOOL SET--No. 9969-1B



Specifications for Master Tool Set--No. 9969-1B

Cannot be shipped complete from factory but can be assembled by distributor.

This set was selected with the assistance of one of the country's leading mechanics. . . . Not a store assortment, but a scientifically designed set to give you the most popular tools . . . each one a live item you will use constantly. Remember too, buy your tools in Plomb selected sets and save. This set is listed below.

Tool No.	Description
	Miscellaneous Items
706	Adjustable Wrench
710	"
9782	Phillips Type Screwdriver
9784	"
9786	"
9604	Plastic Handle Screwdriver
9606	"
9622	"
9632	"
9651	"
9702	Wood Handle Screwdriver
9704	"
9706	"
9708	"
9710	"
9712	"
000A	Feeler Gauge Set
30	3/4" Rivet Cutter
36	5/16" Offset Screwdriver
41	3/8" Center Punch
47	1/4"x3/32" Pin Punch
47	5/16"x1/8" "
47	3/8" "
50	1/4" Starting Punch
50	5/16" "
50	3/8" "
50	7/16" "
86A	5/16" Cold Chisel
86A	3/8" "
86A	1/2" "
86A	5/8" "
86A	3/4" "
96	5/16" Drift Punch
96	7/16" "
96	5/8" "
209	Diagonal Plier
247	Slip Joint Plier
218	Battery Plier
235	Ignition Plier
240	Water Pump Plier
2120	Grease Bar
2130	Roll Head Bar
1304	Ball Pein Hammer
1308	"
1316	"
1383	Plastic Tip Hammer
2308	Ring Groove Cleaner
2317	Ring Compressor
2337	Carbon Scraper
2411	Leatherette Kit
4700 A	Set Assorted Midget Tools
9521	Screw Extractor
9522	"
9524	"
351	Hack Saw
MB10	File Mill Bastard
MB12	File "
	Open End and Box Wrenches
1120	5/16"x3/8" Box Wrench
1125	7/16"x1/2" "
1126	1/2"x9/16" "
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1150	1 1/16"x1 1/8" "
1214	7/16" Com. OE & Box Wrench
1216	1/2" "
1218	9/16" "
1220	5/8" "
1222	11/16" "
1224	3/4" "
1228	7/8" "
1230	15/16" "
1232	1" "
3020	5/16"x3/8" Open End Wrench
3025	7/16"x1/2" "
3026	1/2"x9/16" "
3030	9/16"x5/8" "
3035	11/16"x3/4" "
3040	13/16"x7/8" "
3045	15/16"x1" "
3050	1 1/16"x1 1/8" "
3210	13/64"x15/64" Ignition Open End Wrench
3215	7/32"x1/4" Ignition Open End Wrench
3220	9/32"x5/16" Ignition Open End Wrench
3225	11/32"x3/8" Ignition Open End Wrench
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" "
3430	9/16"x5/8" "
3435	11/16"x3/4" "
	Cub Items 3/8" Sq. Drive
5212	3/8" 12-pt. Socket
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5246	Screwdriver Socket
5249	Reversible Ratchet
5260	3 1/2" Extension
5261	7 1/2" "
5265	Hinge Handle 7 3/8" Long
5270	Universal Joint
5275	1/2" Universal Socket
5276	9/16" "
5277	5/8" "
5280	18" Speeder
5297	Socket Rack
	Standard Items 1/2" Sq. Drive
5340	1/2" Deep Socket
5341	9/16" "
5343	5/8" "
5344	11/16" "
5345	3/4" "
5348	7/8" "
5349	15/16" "
5351	1" "
5347	13/16" "
5414	7/16" 12-pt. Reg. Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5449	Reversible Ratchet
5460	2 1/2" Extension
5461	5" "
5463	10" "
5466	9 1/2" Hinge Handle
5468	18" "
5470	Universal Joint
5480	18" Speed Handle
5497	Socket Rack
	Heavy Duty Items 3/4" Sq. Drive
5536	1 1/8" 12-pt. Socket
5540	1 1/4" "
5542	1 5/16" "
5544	1 3/8" "
5546	1 7/16" "
5548	1 1/2" "
5552	1 5/8" "
5556	1 3/4" "
5661	8" Extension
5663	16" "
5685	Sliding Bar
9969-1	Master Tool Chest

Total of 161 Items

Shipping Weight 201 Lbs.

MASTER TOOLMOBILE SET No. 9969-4D



Popular Priced Toolmobile Set--No. 9969-4D

Cannot be shipped complete from factory but can be assembled by distributor.

A small compact set of tools in Plomb's famous Toolmobile chassis. Just the set you can add to from time to time—a foundation set and the Toolmobile likewise can be completed by additions into the complete Toolmobile as your requirements necessitate. Buy this set and save money. Contents appear below.

Tool No.	Description
	Miscellaneous Items
000A	Feeler Gauge Set
36	5/16" Offset Screwdriver
41	3/8" Center Punch
47	1/4" Rivet Punch
47	5/16" x 1/8"
47	3/8" "
50	1/4" Starting Punch
50	5/16" "
50	3/8" "
86A	5/16" Cold Chisel
86A	3/8" "
86A	5/8" "
96	5/16" Drift Punch
96	1/2" "
209	Heavy Duty Diagonal Plier
218	Battery Plier
235	Midget Slip Joint Plier
240	Water Pump Plier
351	Firmback Hack Saw
1306	6 oz. Ball Pein Hammer
1316	1 lb. " " "
1383	Plastic Tipped Hammer
2126	Rolling Head Bar
4700F	Asst. Midget Sockets Set
	Wrenches
1120	5/16" x 3/8" 12-pt. Box Wrench
1125	7/16" x 1/2" "
1130	9/16" x 5/8" "
1135	11/16" x 3/4" "
1140	13/16" x 7/8" "
1145	15/16" x 1" "
1214	7/16" Com. OE & Box Wrench
1216	1/2" "
1218	9/16" "
1220	5/8" "
3020	5/16" x 3/8" Open End Wrench
3025	7/16" x 1/2" "
3030	9/16" x 5/8" "
3035	11/16" x 3/4" "
3040	13/16" x 7/8" "
3045	15/16" x 1" "

Tool No.	Description
3200A	Set Ignition Open End Wrenches
3425	Tappet Wrench 7/16" x 1/2"
3426	" 1/2" x 9/16"
3430	" 9/16" x 5/8"
	Cub Series 3/8" Sq. Drive
5214	7/16" 12-pt. Socket
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Cub Reversible Ratchet
5261	7 1/2" Extension
5270	Universal Joint
5275	1/2" Universal Socket
5276	9/16" "
5280	18" Speed Handle
	Standard Series 1/2" Sq. Drive
5347	13/16" Deep Socket
5348	7/8" "
5349	15/16" "
5351	1" "
5414	7/16" 12-pt. Regular Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5449	Standard Reversible Ratchet
5463	10" Extension
5468	18" Hinge Handle
5470	Universal Joint

Tool No.	Description
	Heavy Duty Series 3/4 Sq. Dr.
5534	1 1/16" 12-pt. Reg. Socket
5540	1 1/4" "
5542	1 5/16" "
5546	1 7/16" "
5548	1 1/2" "
5661	8" Extension
5668	22" Hinge Handle
	Miscellaneous Items
9521	1/8" Screw Extractor
9522	11/64" "
9524	19/64" "
9702	2 1/2" Wood Handle Screwdriver
9708	8" Wood Handle Screwdriver
9712	12" Wood Handle Screwdriver
9784	Phillips Wood Handle Screwdriver
9804	4" Plastic Handle Sq. Blade Screwdriver
9806	6" Plastic Handle Sq. Blade Screwdriver
9822	2 1/2" Plastic Handle Sq. Blade Screwdriver
9832	4" Plastic Handle Sq. Blade Screwdriver
9843	10" Plastic Handle Sq. Blade Screwdriver
MB-10	Mill Bastard File, 10"
2337	Scraper
9969-4	Plomb Toolmobile

Total 111 Items

(Counting Items in Sets Singly)

Shipping Weight 158 Lbs.

MASTER WHEEL-ABOUT No. 9998-1A



Specifications--Wheel-About Set No. 9998-1A

Cannot be shipped complete from factory **140 ITEMS** but can be assembled by distributor.

Since introducing the Plomb Wheel-About Chest Combination many requests have been received for a well-selected set of tools to go with it. Here's the answer—a versatile set featuring one each of the items listed below. You'll be proud to own them.

Cub Series ⅜" Sq. Drive

Tool No.	Description
5210	5/16" 12 point Socket
5212	⅜" "
5214	7/16" "
5216	½" "
5218	9/16" "
5220	⅝" "
5222	11/16" "
5224	¾" "
5274	7/16" Universal Socket
5275	½" "
5276	9/16" "
5277	⅝" "
5278	11/16" "
5279	¾" "
5249	Reversible Ratchet
5260	3½" Extension
5261	7½" "
5263	18" "
5265	Hinge Handle
5270	Universal Joint
5280	18" Speeder

Standard Series ½" Sq. Drive

5414	7/16" 12 point Socket
5416	½" "
5418	9/16" "
5420	⅝" "
5422	11/16" "
5424	¾" "
5426	13/16" "
5428	⅞" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5340	1½" Deep 12 pt. Socket
5341	"
5343	⅝" "
5345	¾" "
5347	13/16" "
5348	⅞" "
5349	15/16" "
5351	1" "
5352	1 1/16" "
5353	1⅛" "
5444	Drag Link Screwdriver
5449	Reversible Ratchet
5461	5" Extension
5463	10" "
5466	9½" Hinge Handle
5466-PH	Pin Handle
5468	18" Hinge Handle
5469	Speed Hinge Handle
5470	Universal Joint
5480	18" Speed Handle

Heavy Duty Series ¾" Sq. Drive

Tool No.	Description
5528	⅞" 12 point Socket
5530	15/16" "
5532	1" "
5534	1 1/16" "
5536	1⅛" "
5540	1¼" "
5542	1 5/16" "
5544	1⅜" "
5546	1 7/16" "
5548	1½" "
5550	1 9/16" "
5552	1⅝" "
5556	1¾" "
5558	1 13/16" "
5560	1⅞" "
5564	2" "
5649	Reversible Ratchet
5661	8" Extension
5663	16" "
5685	Sliding Bar

Box and Open End Wrenches

1120	5/16"x⅜" Box Wrench
1125	7/16"x½" "
1130	9/16"x⅝" "
1135	11/16"x¾" "
1140	13/16"x⅞" "
1145	15/16"x1" "
1150	1 1/16"x1⅛" "
1214	7/16" Combination Open End and Box Wrench
1216	½" "
1218	9/16" "
1220	⅝" "
1222	11/16" "
1224	¾" "
1228	⅞" "
1230	15/16" "
1232	1" "
3020	5/16"x⅜" Open End Wrench
3025	7/16"x½" "
3030	9/16"x⅝" "
3035	11/16"x¾" "
3040	13/16"x⅞" "
3045	15/16"x1" "
3050	1 1/16"x1⅛" "
3425	7/16"x½" Tappett Wrench
3426	½"x9/16" "
3430	9/16"x⅝" "
3210	13/64"x15/64" Ignition Open End Wrench
3215	7/32"x¼" "
3220	9/32"x5/16" "
3225	11/32"x⅜" "

Miscellaneous Items

Tool No.	Description
235	Ignition Plier
207	7" Diagonal Plier
1383	Plastic Tip Hammer
2337	Carbon Scraper
4520	Stud Puller
30	¾" Rivet Cutter
36	5/16" Offset Screwdriver
41	⅜" Center Punch
47	¼" Pin Punch
47	5/16"x⅛" "
47	⅜" "
47	7/16" "
47	½" "
86A	¼" Cold Chisel
86A	⅜" "
86A	½" "
86A	⅝" "
86A	¾" "
96	¼" Drift Punch
96	⅜" "
95	½" "
96	¾" "
2130	Roll Head Bar
9521	Screw Extractor
9522	"
9523	"
9524	"
9525	"
9604	Plastic Handle Screwdriver
9606	"
9608	"
9622	"
9632	"
9643	"
9652	"
5297	Cub Socket Rack
5497	Standard Socket Rack
*	~~9998-1 Wheel-about Tool Chest~~

Total of 140 Items

Shipping Weight 205 Lbs.

***Temporarily discontinued**

---

* ~~**SET NO. 9998-F Identical to the above except use the No. 9998 Box only.**~~

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

OPEN

MASTER TOOL SET
No. 9998-B



CLOSED

PLOMB

Specifications for Master Tool Set No. 9998-B

You can look high and low and never find a small set better than this one for all around general use. In Plomb's Master Tool Box you will still have ample room to add more items from time to time. Just check over the contents of this set one each of the items listed below, and you will declare it to be the set you have been waiting for. Not an expensive set, but a mighty popular one.

Cannot be shipped complete from factory but can be assembled by distributor.

Cub Items ⅜" Sq. Drive

Tool No.	Description
5210	5/16" 12-pt. Socket
5212	⅜" "
5214	7/16" "
5216	½" "
5218	9/16" "
5220	⅝" "
5222	11/16" "
5224	¾" "
5270	Universal Joint
5249	Reversible Ratchet
5260	3½" Extension
5262	12" "
5265	Hinge Handle 7⅜" Long
5280	18" Speeder

Standard Items ½" Sq. Drive

Tool No.	Description
5414	7/16" 12-pt. Socket
5416	½" "
5418	9/16" "
5420	⅝" "
5422	11/16" "
5424	¾" "
5426	13/16 "
5428	⅞" "
5430	15/16" "
5432	1" "
5449	Reversible Ratchet
5460	2½" Extension
5463	10" Extension
5468	18" Hinge Handle
5470	Universal Joint
5480	Speeder 18" Long

Heavy Duty Items ¾" Sq. Drive

Tool No.	Description
5534	1 1/16" 12-pt Socket
5536	1⅛" "
5540	1¼" "
5544	1⅜" "
5546	1 7/16" "
5548	1½" "
5661	8" Extension
5668	Hinge Handle 21" Long

Wrenches

Tool No.	Description
1125	7/16"x½" Box Wrench
1130	9/16"x⅝" "
1135	11/16"x¾" "
1140	13/16"x⅞" "
1214	7/16" Com. Box & OE Wrench
1216	½" "
1218	9/16" "
1220	⅝" "
1222	11/16" "
1224	¾" "
1228	⅞" "
1230	15/16" "
1232	1" "
3025	7/16"x½" Open End Wrench
3030	9/16"x⅝" "
3035	11/16"x¾" "
3040	13/16"x⅞" "
3425	7/16"x½" Tappet Wrench
3426	½"x9/16" "
3210	13/64"x15/64" Ignition OE Wrench
3215	7/32"x¼" Ignition OE Wrench
3220	9/32"x5/16" Ignition OE Wrench
3225	11/32"x⅜" Ignition OE Wrench

Miscellaneous Items

Tool No.	Description
209	Diagonal Plier 7 in.
240	Wrench Plier
36	¼" Offset Screwdriver
41	⅜" Center Punch
47	5/16"x⅛" Rivet or Pin Punch
47	⅜" "
86A	5/16" Cold Chisel
86A	7/16" "
86A	⅝" "
96	¼" Drift Punch
96	⅜" "
96	½" "
2126	Rolling Head Bar
9804	Plastic Handle Screwdriver
9806	"
9832	"
9843	"
* ~~9998~~	~~Master Tool Box~~

* TEMPORARILY DISCONTINUED

Total 79 Items

Shipping Weight 120 Lbs.

There's a Plomb Socket for Every Need



Plomb has developed the socket to its greatest usefulness. There is a size and type for every need, from tiny midget sockets weighing ¼ ounce to powerful heavy-duty sockets weighing as much as 5½ pounds. All made from special alloy steel, accurately forged, carefully broached and scientifically heat-treated to give long and satisfactory service under the hardest conditions.

THE PLOMB LINE IS THE FULL LINE OF QUALITY TOOLS

Master Set No. 9990-C

OPEN

CLOSED



Specifications for Master Tool Set No. 9990-C

Cannot be shipped complete from factory but can be assembled by distributor.

No tool box has been more popular than No. 9990 which is described elsewhere in this catalog. It was only natural to select a fine assortment of Plomb Tools to go with it as a complete set—Box and Tools. Listed here are the tools, one of each. You will find this set a real money-maker for you.

Tool No.	Description
	Midget Items 1/4" Sq. Drive
4706	3/16" Hex Socket
4707	7/32" " "
4708	1/4" " "
4708S	1/4" 8-pt. "
4709	9/32" Hex. "
4710	5/16" " "
4710S	5/16" 8-pt. "
4711	11/32" Hex. "
4712	3/8" " "
4714	7/16" " "
4769	Spin Type Handle
235	Midget Pliers
	Cub Items 3/8" Sq. Drive
5214	7/16" 12-pt. Socket
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Reversible Ratchet
5265	Hinge Handle
5280	18" Speeder
5260	3 1/2" Extension
5261	7 1/2" "
5263	18" "
5266PH	Pin Handle
5270	Universal Joint
	Standard Items 1/2" Sq. Drive
5449	Reversible Ratchet
5468	18" Hinge Handle
5480	Speed Handle
5463	10" Extension
5470	Universal Joint
5414	7/16" 12-pt. Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "

Tool No.	Description
5347	13/16" 12-pt. Deep Socket
5348	7/8" " " "
5349	15/16" " " "
5351	1" " " "
5353	1 1/8" " " "
	Heavy Duty Items 3/4 Sq. Drive
5536	1 1/8" 12-pt. Socket
5540	1 1/4" "
5544	1 3/8" "
5546	1 7/16" "
5548	1 1/2" "
5668	Hinge Handle
5661	8" Extension
5663	16" "
	Wrenches
3020	5/16"x3/8" Open End Wrench
3025	7/16"x1/2" " " "
3030	9/16"x5/8" " " "
3035	11/16"x3/4" " " "
3040	13/16"x7/8" " " "
1120	5/16"x3/8" Box Wrench
1125	7/16"x1/2" " "
1130	9/16"x5/8" " "
1135	11/16"x3/4" " "
1140	13/16"x7/8" " "
1214	7/16" Com. OE & Box Wrench
1216	1/2" " " "
1218	9/16" " " "
1220	5/8" " " "
1222	11/16" " " "
1224	3/4" " " "
1228	7/8" " " "
1230	15/16" " " "
1232	1" " " "
1234	1 1/16" " " "
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" " "
3430	9/16"x5/8" " "

Tool No.	Description
3210	13/64"x15/64" Midget OE Wrench
3215	7/32"x1/4" Midget OE Wrench
3220	9/32"x5/16" Midget OE Wrench
3225	11/32"x3/8" Midget OE Wrench
	Miscellaneous Items
207	Diagonal Plier
41	3/8" Center Punch
47	5/16"x1/8" Pin Punch
47	3/8" Pin Punch
86A	5/16" Cold Chisel
86A	1/2" " "
86A	3/4" " "
9604	Plastic Hdl. Screwdriver
9606	" " "
9632	" " "
9643	" " "
9704	Wood Hdl. Screwdriver
9706	" " "
9710	" " "
9712	" " "
000A	Feeler Gauge Set
2337	Carbon Scraper
240	Water Pump Pliers
9990	Master Tool Chest

Total 101 Items

Shipping Weight, 90 Lbs.

PLOMB Streamlined Tools

Set No. 9989-A

Cannot be shipped complete from factory but can be assembled by distributor.



Two things to remember about Plomb Tool Sets. They are expertly selected to give their new owner the most useful tools and you save in buying sets. Here is the ultimate in a tool set. A regal assortment of fine tools in a popular Plomb chest. Note its contents below and you will want to own it.

Tool No.	Description
	Cub Items 3/8" Sq. Drive
5210	5/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5270	Universal Joint
5280	18" Speeder
5265	Hinge Handle
5249	Reversible Ratchet
5260	3 1/2" Extension
5262	12" "
	Standard Items 1/2" Sq. Drive
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5434	1 1/16" "
5470	Universal Joint
5480	18" Speeder
5449	Reversible Ratchet
5461	5" Extension
5463	10" Extension
5468	18" Hinge Handle
5347	13/16" 12 pt. deep Socket
5348	7/8" "
5349	15/16" "
5351	1" "
	Wrenches
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" " "
3430	9/16"x5/8" " "
3210	13/64"x15/64" Midget Open End Wrench
3215	7/32"x1/4" Midget Open End Wrench
3220	9/32"x5/16" Midget Open End Wrench

Tool No.	Description
	Wrenches—(Continued)
3225	11/32"x3/8" Midget Open End Wrench
3020	5/16"x3/8" Open End Wrench
3025	7/16"x1/2" "
3030	9/16"x5/8" "
3035	11/16"x3/4" "
3040	13/16"x7/8" "
3045	15/16"x1" "
1120	5/16"x3/8" Box Wrenches
1125	7/16"x1/2" "
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1216	1/2" Com. OE & Box Wrench
1218	9/16" " "
1220	5/8" " "
1222	11/16" " "
1224	3/4" " "
1228	7/8" " "
1230	15/16" " "
	Miscellaneous Items
86A	3/8" Cold Chisels
86A	3/4" " "
96	5/16" Drift Punch
96	1/2" " "
209	Diagonal Plier
235	Midget Plier
351	Hack Saw
41	3/8" Center Punch
47	1/4" Pin Punch
47	5/16"x1/8" "
47	3/8" " "
1316	1 lb. B/P Hammer
1383	Plastic Tip Hammer
MB-10	File
9604	Plastic Hdle. Screwdriver
9606	" " "
9622	" " "
9632	" " "
9643	" " "
9652	" " "
9684	Phillips Type Screwdriver
9989	Metal Tool Chest

TOTAL 83 ITEMS

Shipping Wt. 54 lbs.

Set No. 9989-B

Cannot be shipped complete from factory but can be assembled by distributor.

If you are looking for a small set to which you can add, if you find it necessary, then this is it. 50 tools you will use every day in that sturdy, handy, roomy Tool Box No. 9989. Read more about this chest in the box section. Remember you save when you buy Plomb sets Note the contents below.

Tool No.	Description
	Cub Items 3/8" Sq. Drive
* ~~5208~~	~~1/4" Hex Socket~~
5210	5/16" 12-pt. Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Reversible Ratchet
5265	Hinge Handle
5260	3 1/2" Extension
5262	12" Extension
5270	Universal Joint
	Standard Items 1/2" Sq. Drive
5416	1/2" 12-pt. Socket
5418	9/16" "
5420	5/8" "
5422	11/16" "
5424	3/4" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5432	1" "
5449	Reversible Ratchet
5467	15" Hinge Handle
5460	2 1/2" Extension
5463	10" "
5470	Universal Joint

Tool No.	Description
	Wrenches
1214	7/16" Comb. O. E. & Box
1216	1/2" " "
1218	9/16" " "
1220	5/8" " "
1222	11/16" " "
1224	3/4" " "
1226	13/16" " "
1228	7/8" " "
1230	15/16" " "
1232	1" " "
3425	7/16"x1/2" Tappet Wrench
3426	1/2"x9/16" " "
	Miscellaneous Items
351	Hack Saw
9784	Phillips Type Scrwdrvr.
9804	Plastic Handle Scrwdrvr.
9822	" " "
9832	" " "
9701	Wood Handle Scrwdrvr.
9708	" " "
209	Diagonal Pliers
MB-10	File
9989	Metal Tool Chest

*** TEMPORARILY DISCONTINUED**

TOTAL 50 ITEMS

Shipping Weight, 41 Lbs.



Set No. 9980-A



Plomb Tractool Set

Cannot be shipped complete from factory but can be assembled by distributor.

Mr. Tractor owner, or mechanic—Just glance at the contents listed below and you will agree here is the Tractor Tool Set for you. A real Bull-dozer set that won't let you down in the emergency.

Tool No.	Description
86A	5/8" Cold Chisel
209	Heavy Duty Diagonal Pliers
1125	7/16"x1/2" 12-pt. Box Wrench
1130	9/16"x5/8" "
1135	11/16"x3/4" "
1140	13/16"x7/8" "
1145	15/16"x1" "
1150	1 1/16"x1 1/8" "
3025	7/16"x1/2" Open End Wrench
3030	9/16"x5/8" "
3035	11/16"x3/4" "
5414	7/16" 1/2" Dr. 12-pt. Socket
5416	1/2" " " "
5418	9/16" " " "
5420	5/8" 1/2" Dr. 12-pt. Socket
5422	11/16" " " "
5424	3/4" " " "
5426	13/16" " " "
5461	5" 1/2" Drive Extension
5468	18" 1/2" Drive Hinge Handle
5470	Universal Joint
5528	7/8" 3/4" Dr. Hex Socket
5530	15/16" " " "
5532	1" 3/4" Dr. 12 pt. Socket
5534	1 1/16" " "
5536	1 1/8" " Hex Socket
5540	1 1/4" " 12 pt. Socket
5542	15/16" " "
5548	1 1/2" " "
5661	8" " Extension
5685	" Sliding Bar
9804	4" Wood Handle Screwdriver
9808	8" " " "
9980	Sturdy Metal Tool Chest

TOTAL 34 ITEMS Shipping Weight 33 lbs.

THE PLOMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

COMPLETE TOOLMOBILE

"The Modern Mobile Work Bench"

Here's the finest tool box your money can buy. It's convenient and impressive—tops for efficient operation. One piece construction with all parts joined by spot welding. Chest 29½" high without castors or piston rack. 28" wide, 17¾" from front to back. Lustrous chinese red enamel finish. Weight complete without tools, 119 pounds, boxed for shipment. Strong as a steel safe. A Plomb Toolmobile saves hours of time and effort. The most popular roller box on the market.

SPECIFICATIONS

(1) Bolted on rack, has 16 holes and 8 slots for pistons, valves, and tools.

(2) Large working surface 17¾" x 28"

(3) Barrel lock with locking bar secures everything with one key. Locking bar drops in slot at left out of way when chest is not in use.

(4) Side rail on each side for socket rack.

(5) Drawer 3" deep, complete with adjustable dividers.

(6) Drawer — 5" deep with perforated bottom for easy cleaning and to hold movable partitions.

(7) Drawer — 5" deep. Solid bottom with removable sliding tray.

(8) Large compartment 9½" high. Front panel slides under drawer above.

(9) Ventilators on both sides.

(10) Rounded streamlined corners.

(11) 4" rubber tired, ball bearing castors. Front castors with foot operated brakes.

(12) 6" x 6" steel reinforcement plate under top for attaching light bolt on vise.

(13) All corners reinforced on inside for added strength and rigidity.

(14) All drawers run on ball bearing rollers.

9969-7 Piston Rack for Toolmobile. Weight, 6 lbs.

9969-4 Toolmobile less Piston Rack.

9969-8 Divider strips (22½" and 5" lengths).

9969-9 Divider holders.

No. 9969-1 TOOLMOBILE with Piston Rack

No. 9969-1 TOOLMOBILE Open

PLOMB Streamlined Tools

MODERN TOOL BOXES
For All Purposes

No. 9998—Master Tool Chest

Folding handles. Spring clips inside lid. Finished in brilliant Chinese red. Will hold shape with full load.

Weight, 77 lbs. Outside dimensions: 12″ wide, 26½″ long, 20½″ high. Top compartment 7½″ deep. Top drawer 1½″ deep, with compartment for small sockets. Second drawer 1½″ deep, with two adjustable partitions. Third drawer 3¼″ deep, with two adjustable partitions. Bottom drawer 3½″ deep, with two movable partitions.

Front slides under bottom drawer. With lid closed, front covers drawers, and is locked with spring controlled bolts. One lock secures everything.

No. 9998—Master Chest, complete as illustrated.

No. 9998A—Master Chest, complete with addition of No. 9920 Tray and No. 5497 Socket Rack.

*TEMPORARILY DISCONTINUED

*TEMPORARILY DISCONTINUED

All Tool Boxes Finished GREEN

No. 9990—Master Tool Chest

The Tool Chest you have longed for. Streamlined, deluxe. As modern as young ideas. Smooth contours, rounded edges. ~~Finished in brilliant Chinese Red.~~

Overall dimensions 11¼″ wide, 12¾″ deep, 24½″ long, wt. 37 lbs. Cantilever tray in top swings up with lid and is partitioned for small tools. Drawers run with finger tip ease.
One padlock secures everything.

MASTER TOOL CHEST No. 9998



MASTER TOOL CHEST No. 9990



No. 9989

No. 9989--Master Tool Chest

Made of sheet steel, welded and riveted; ~~dark red~~ baked enamel finish. Hinged tray swings up with lid. Removable tray gives easy access to large interior.

Overall dimensions: 9″ deep, 11½″ wide, 20½″ long. Hinged tray 1¼″ deep, 5½″ wide, 19″ long. Front tray 1½″ deep, 5½″ wide, 19″ long. Bottom comp. 6″ deep, 11″ wide, 20″ long. Fixed tray in top space 2½″ deep, 4¾″ wide, 20″ long. Each tray and bottom compartment have separate section for sockets or small tools. Heavy hasp fits over staple on hinged front to lock chest securely. Strong folding handles. Weight, empty, 20 lbs. Shipping wt., 22 lbs.

No. 9920--Handy Tool Tray

* TEMPORARILY DISCONTINUED

9″ wide. 19″ long, 5½″ deep under handle. Side compartment for sockets, small tools, etc. Weight, 4 lbs.



No. 9920

No. 9980--Utility Box

22¼″ long, 9″ wide, 6½″ high, with drop front and drop handles at each end. ~~Dark red~~ wrinkle finish. Heavy gauge steel. Weight empty, 11 lbs.

No. 9980

All Tool Boxes Finished GREEN

Socket Racks

Made with clip on back, which slips over edge of box or partition. Can be carried on side of Tote Tray or can be put in a convenient place on wall or bench. Sockets fit firmly on rack. Made of heavy sheet steel, ~~dark red~~ baked enamel finish.

No. 5297—Cub Socket Rack, 18¼″ long; has 17 clips for sockets with ⅜″ square drives.

No. 5497—Standard Socket Rack, 18½″ long; has 17 clips for sockets with ½″ square drives.



No. 5297-5497

PLOMB Streamlined Tools

No. 5894—Extra-Heavy-Duty Box

5″ deep, 8¼″ wide and 30″ long, inside dimensions, to fit the Extra-Heavy-Duty handles and sockets described on page 52. Also used for large Heavy-Duty sets, with ¾″ square drive, especially with the larger sockets. Made extra-heavy throughout, welded, riveted and strongly reinforced. Weight, 28 lbs.



No. 5894

No. 5695—Heavy-Duty Tool Box

* TEMPORARILY DISCONTINUED

For Heavy-Duty Socket Sets with ¾″ drive. Lid reinforced with steel cross-ribs. Handle, on top of lid, folds flush into recess. Three compartments, as shown, just right for heavy-duty sockets and handles. Double-hinged; locks with two spring hasps. 3¾″ deep, 8″ wide, 22½″ long, inside measurements; weight, 8¼ lbs.



No. 5695

No. 5495—Standard Tool Box

A heavy-gauge steel box with socket compartment lengthwise of box, and compartment at front for extra sockets, cotter keys, small tools, etc. Clips inside top for speeder handle. Hooked staple holds cover down tight. Handle folds out of way when not in use. 1¾″ deep, 8¼″ wide, 19″ long. Red baked enamel finish. Wt. 5¼ lbs.



No. 5495

All Tool Boxes Finished GREEN

No. 5295—Cub Tool Box

A convenient small box, 1½″ deep, 4¼″ wide, 18½″ long. Handy for trouble-shooting, as it is a convenient size to carry. Wt. 2½ lbs.



No. 5295



No. 4795



TOOL ROLLS



No. 2424

No. 4795--Midget Tool Box

Just the box to hold your Plomb Midget Tools. A sturdy steel box 6-1/2″ long by 2-5/8″ wide by 1″ deep. Wt. 1 lb. Finished in a brilliant Chinese Red. It will help you keep your smaller tools in orderly array.

All Tool Boxes Finished GREEN

Leatherette Rolls for Tool Kits

Made of heavy first-grade leatherette, with strongly stitched seams and bound edges. Handsome in appearance, black trimmed with silver. Nos. 2408, 2410 and 2411 have snaps, all others have heavy woven tie strings.

Roll No.	Dimensions Laid Flat	No. of Pockets
*2401	7⅝″x26½″	23
*2402	7½″x14″	12
2403	10″x8¼″	6
2404	17″x10½″	7
2405	18¼″x14⅜″	6
2406	21⅝″x21¼″	8
**2408	14⅛″x8⅞″	4
**2410	8⅝″x12⅞″	11
**2411	8¼″x6½″	5
* ~~2412~~	~~31″x32″~~	~~15~~
2413	26½″x25½″	13
* ~~2424~~	~~12¼″x36″~~	~~44 Loops~~

*Flap is extra piece, stitched on at top.

**Equipped with snaps instead of tie strings.



No. 2424—Tool Roll

* TEMPORARILY DISCONTINUED

Made of extra-heavy leatherette, lined with thick green felt with green felt flaps at top and bottom to cover the tools. 12¼″ wide by 36″ long.

* ~~No. 2424 is smart carrying case for the small jobs.~~

PLOMB Streamlined Tools



Cannot be shipped complete from factory but can be assembled by distributor.

No. 5500-A



No. 5500-B



No. 5500-OC

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

Specifications--Heavy Duty ¾" Square Drive Sets

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment Set No. 5500-A

The Handles and Sockets of this big heavy duty set are geared for severe service. A set you can depend on to finish the job. This is a very complete set, and leaves little to be asked for when heavy work is at hand. Note specifications below: Wt. 56 lbs.

Tool No.	Description
5528	⅞" 12 point Socket
5530	15/16" "
5532	1" "
5534	1 1/16" "
5536	1⅛" "
5538	1 3/16" "
5540	1¼" "
5542	1 5/16" "
5544	1⅜" "
5546	1 7/16" "
5548	1½" "
5550	1 9/16" "
5552	1⅝" "
5554	1 11/16" "
5556	1¾" "
5558	1 13/16" "
5560	1⅞" "
5564	2" "
5568	2⅛" "
5649	Reversible Ratchet
5661	8 inch Extension
5663	16 inch "
5668	18 inch Hinge Handle
5685	18 inch Sliding Bar
5686	18 inch Ell Handle
*~~5695~~	~~Heavy Metal Box~~

Socket and Attachment Set No. 5500-B

A much smaller set than listed above but a very useful and economical set. Not a surplus item in the lot. Each tool will find action in everyday use. See contents below: Wt. 22 lbs.

Tool No.	Description
5534	1 1/16" 12 point Socket
5536	1⅛" "
5540	1¼" "
5542	1 5/16" "
5546	1 7/16" "
5548	1½" "
5552	1⅝" "
5556	1¾" "
5661	8" Extension
5685	18 inch Sliding Bar
*~~5695~~	~~Heavy Metal Box~~

Socket and Attachment Set No. 5500-OC

A set selected by Plomb originally for the oil industry. Its universal use there was not exceeded by a heavy demand for this set in other forms of heavy industry. It would be almost impossible to make a more perfect set. Specifications follow: Wt. 30 lbs.

Tool No.	Description
5528	⅞" 12 point Socket
5534	1 1/16" "
5540	1¼" "
5546	1 7/16" "
5552	1⅝" "
5558	1 13/16" "
5564	2" "
5649	Reversible Ratchet
5661	8 inch Extension
5668	18 inch Hinge Handle
5668PH	Pin Handle
5670	Universal Joint
*~~5695~~	~~Heavy Metal Box~~

* Temporarily discontinued

PLOMB Streamlined Tools

½" SQUARE DRIVE SETS

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment Set No. 5400-OC

Originally designed for use in the oil industry but became so popular in all phases of industry it has been termed the "Super Set." If you work in the oil, ship-building or allied fields, this is just the set for you. Details below:

Tool No.	Description
5414	7/16" 12 point Socket
5416	½" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	¾" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5436	1 1/8" "
5438	1 3/16" "
5440	1 1/4" "
5449	Reversible Ratchet
5460	2½" Extension
5461	5" "
5463	10" "
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box Wt., 14 lbs.





Socket and Attachment Set No. 5400-T

A lead horse in tool sets. This set has been standard with Plomb for years. It was so ideally designed and selected at the start that no change has ever been necessary. You will never regret being the owner of the universal set. Contents follow:

Tool No.	Description
5414	7/16" 12 point Socket
5416	½" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	¾" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5444	¾" D. L. Screwdriver
5449	Reversible Ratchet
5461	5" Extension
5463	10" "
5466	9½" Hinge Handle
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box Wt., 16 lbs.

Cannot be shipped complete from factory but can be assembled bv distributor.

Socket and Attachment Set No. 5200-A



A handy set that will cover a wide range of work and general use. Each item especially selected to give you all around utility at minimum cost. An ideal basic set which you can build upon.

Tool No.	Description
5210	5/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Reversible Ratchet
5260	3½" Extension
5263	18" "
5265	7½" Hinge Handle
5266PH	Pin Handle
5270	Universal Joint
5280	18" Speeder
5295	Metal Box Wt. 6 lbs.

Cub 3/8" Square Drive Sets

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment Set No. 5200-B



A practical set for a practical mechanic. You want a small compact set of useful tools and this set was designed that way. A goodly assortment of sockets and universals with two all-purpose attachments encased in a sturdy metal box. Weight 5½ lbs.

Tool No.	Description
5212	3/8" 12 point Socket
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
*~~5221~~	~~21/32"~~ "
5222	11/16" "
5224	3/4" "
5246	Screwdriver Socket
5249	Reversible Ratchet
5260	3½" Extension
5261	8" "
5270	Universal Joint
5275	½" 12 pt. Universal
5276	9/16" " "
5277	5/8" " "
5278	11/16 " "
5280	18" Speeder
5295	Metal Box

*Temporarily discontinued

PLOMB Streamlined Tools

1/4" SQUARE DRIVE SETS

MIDGET SET No. 4700 F

A Hinge Handle has been one of the most useful items in the mechanic's tool chest. Here is a little midget set of tools built around the Hinge Handle as a base. For all light work.

SOCKETS HEX & 8 POINT

4707	7/32"	4710S	5/16"
4708	1/4"	4711	11/32"
4708S	1/4"	4712	3/8"
4709	9/32"	4714	7/16"
4710	5/16"		

ATTACHMENTS

4766	Hinge Handle
4766PH	Pin Handle
4795	Metal Box

Total—12 Items Weight—1 Lb.





Cannot be shipped complete from factory but can be assembled by distributor.

MIDGET SET No. 4700 R

Here is your Master set of midget tools. The complete set for all kinds of light work. A splendid assortment of sockets and attachments.

SOCKETS HEX & 8 POINT

4706	3/16" Hex	*~~4736~~	~~9/32" Deep~~
4707	7/32" "	*~~4740~~	~~3/16"x1/4" Oval~~
4708	1/4" "	*~~4741~~	~~7/32"x9/32" Ov.~~
4708S	1/4" 8 pt.	*~~4742~~	~~9/16" Spanner~~
4709	9/32" Hex	*~~4743~~	~~1/2" "~~
4710	5/16 "	*~~4744~~	~~Screwdriver~~
4710S	5/16" 8 pt.	*~~4745~~	~~"~~
4711	11/32" Hex	*~~4746~~	~~"~~
4712	3/8" "	*~~4747~~	~~"~~
4714	7/16" "	235	Midget Pliers

ATTACHMENTS

4749	Ratchet		
4760	3-1/2"	Extension	
4761	6"	"	
4763	14"	"	
4766	Hinge Handle		
4767	Stub Spin Handle		
4769	Spin Type Handle		
4770	Universal Joint		
4780	Speeder		
4785	Slide Bar		
3210	13/64"x15/64"	O.E.	Wrench
3215	7/32"x1/4"	"	"
3220	9/32"x5/16"	"	"
3225	11/32"x3/8"	"	"

Total—35 Items Weight—5¼ Lbs.

All in **No. 5295** Metal Box.

*Temporarily discontinued

Mighty Midget Series—1/4" Drive Square Drive

MIDGET RATCHET
(Regular) No. 4749



Handles and Attachments

	Cat. No.	Description	Overall Length
	4749	Standard Rev. Ratchet	4¾"
*	*~~4751~~	~~Spl. Rev. Ratch. (Miniratch)~~	~~4"~~
	4760	Extension	3½"
	4761	Extension	6"
	4763	Extension	14"
	4766	Hinge Handle	5½"
	4766PH	Pin Handle	4"
	4767	Stub Handle—Pyroxylin Grip	2 5/32"
*	*~~4768~~	~~Flexible Spintype Handle~~	~~6⅛"~~
	4769	Spin Type Handle " "	6"
	4770	Universal Joint	1 7/32"
	4780	Speed Handle	15¾"
	4785	Sliding Bar Handle	4½"

* Not Replaceable

*Temporarily discontinued



4768 4766 4780 4769

PARTS FOR 4749 RATCHET

4749B	Body	4749H	Cover Screw
4749C	Cover	4749R	Rev. Ass'bly.
4749DL	Dog, L.	4749S	Spring
4749DR	Dog, R.	4749W	Wheel with Plg.



4767





4766-PH



4761



4760

4763

PLOMB Streamlined Tools



4745



4737-8



4744

4746

Screw Driver Sockets—¼" Square Drive

Tool No.		Length	Description
*4737	No. 1 Phillips Bit	¼"	Female Drive
*4738	No. 2 Phillips Bit	¼"	Female Drive
* ~~*4739~~	~~¼" x.033" Bit~~	~~1 5/16"~~	General, Carburetor, Electrical, Radio, Etc.
* ~~*4744~~	~~¼" x.030" "~~	~~1⅝"~~	
* ~~*4745~~	~~⅜" x.040" "~~	~~2⅛"~~	
* ~~*4746~~	~~5/16" x.035" "~~	~~1¾"~~	
* ~~*4747~~	~~5/32" x.038" "~~	~~3 15/16"~~	

*Not Replaceable

* ~~TEMPORARILY DISCONTINUED~~

Standard Sockets

Cat. No.	Description	Overall Length	Purpose
4706	3/16" Hexagon	1"	General
4707	7/32" Hexagon	1"	"
4708	¼" Hexagon	1"	"
4709	9/32" Hexagon	1"	"
4710	5/16" Hexagon	1"	"
4711	11/32" Hexagon	1"	"
4712	⅜" Hexagon	1"	"
4714	7/16" Hexagon	1"	"
4716	½" 12-Point	1"	"
4708S	¼" 8-Point	1"	"
4710S	5/16" 8-Point	1"	"

Extra Deep Sockets

4708L	¼" Hexagon	2"	Aviation, Carburetor, Electrical, Radio, Etc.
* ~~4709L~~	~~9/32" Hexagon~~	~~2"~~	
* ~~4710L~~	~~5/16" Hexagon~~	~~2"~~	
* ~~4711L~~	~~11/32" Hexagon~~	~~2"~~	
* ~~4712L~~	~~⅜" Hexagon~~	~~2"~~	
* ~~4714L~~	~~7/16" Hexagon~~	~~2"~~	

Only Midget Tools can do fast, efficient work on intricate jobs--you should have a complete ¼" Square Drive assortment.



4706-4709 4710-4714



4708L-4709L 4710L-4714L



4770 4708S-4710S

THE PLOMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

PLOMB SOCKET AND ATTACHMENT SETS

MIDGET SOCKET SETS

¼" SQUARE DRIVE

MIDGET SET NO. 4700 B

More than ever before this midget socket and attachment set is leading the field. For automotive and Refrigeration work this set is particularly adaptable.

Plomb Midget Sets are designed to give you the basic tools to which you can add others as your needs require.

4700 B SET

4707	7/32" Hex Socket
4708	1/4" Hex Socket
4708S	1/4" 8 pt. Socket
4709	9/32" Hex Socket
4710	5/16" Hex Socket
4710S	5/16" 8 pt. Socket
4711	11/32" Hex Socket
4712	3/8" Hex Socket
4714	7/16" Hex Socket
4769	Spin Type Handle
4785	Sliding Bar
4749	Rev. Ratchet
4795	Metal Box

4700 BC SET

Same as 4700 B set (less metal box) in cardboard box

4700 AC SET

Same as 4700 A (less metal box) in cardboard box

4700 A SET

Same as 4700 B set less No. 4749 Rev. Ratchet



1/2" DRIVE BASIC SET

ILLUSTRATED IN COLORFUL, STURDY CARDBOARD BOX. ¼" AND ⅜" DRIVE BASIC SETS ARE ALSO AVAILABLE IN CARDBOARD BOXES FOR THE MAN WHO ALREADY OWNS HIS STEEL BOX.

THE PLOMB LINE IS THE SPEED LINE FOR SAVING TIME

PLOMB Streamlined Tools

CUB SOCKETS AND ATTACHMENTS 3/8" SQ. DRIVE

5265



No. 5246—Cub Screw Driver Socket, Length 1 5/16".





5270 5241-43







5249 5266PH 5285

No.	DESCRIPTION
	PHILLIPS SCREW DRIVER ATTACHMENTS Make a screw driver out of your Cub Handles. 3/8" Sq. Female Drive. Non-replaceable.
*5241	**FOR NO. 2 PHILLIP SCREWS**
~~*5242~~	~~**FOR NO. 3 PHILLIP SCREWS**~~
~~*5243~~	~~**FOR NO. 4 PHILLIP SCREWS**~~
5249	**CUB REVERSIBLE RATCHET** You will find this the lightest and strongest ratchet made. Trouble-free mechanism. Reversible at a flip of the trigger. Length 7".
5265	**CUB HINGE HANDLE** Has upset knurled handle with hole for pin handle. This type of attachment makes tee or ell shaped attachment when used with Pin Handle or Plomb Extensions. 7 3/8" long.
5266PH	**CUB PIN HANDLE** Is so useful you can not afford to be without it. Makes tee or ell handles when used in connection with Plomb Extension. 5/16" round stock, 7 1/2" long.
5270	**CUB UNIVERSAL JOINT** Is just the tool you need to get around those corners or when you are working at some difficult angle. Length 1 5/8".
5285	**CUB SLIDING BAR** Is just what you want for real leverage. There is nothing that beats the sliding bar for all around utility. Plug has friction ball. 8" long.

*Temporarily discontinued *Non-replaceable.

CROWFOOT WRENCHES



Detachable Crowfoot Wrenches by Plomb are available from stock in opening sizes as shown in following table. Used with any 3/8" drive handle or attachment.

Cat. No.	Opening Size	Cat. No.	Opening Size
* ~~4912~~	~~3/8"~~	4924	3/4"
4914	7/16"	4926	13/16"
4916	1/2"	4928	7/8"
4918	9/16"	4932	1"
4920	5/8"	4940	1 1/4"
4922	11/16"	4944	1 3/8"

No.	DESCRIPTION
	CUB EXTENSIONS Are handy for reaching into those hard-to-reach places. All Plomb Extensions have hole for Pin Handle except No. 5259.
	Length — **Stock**
* ~~5259~~	~~1 3/4 in. — 3/8 in.~~
5260	3 1/2 in. — 3/8 in.
5261	7 1/2 in. — 3/8 in.
5262	12 in. — 3/8 in.
5263	18 in. — 3/8 in.
	CUB SPEED HANDLES Just as the name implies . . . you will find them the speediest tools you ever used for fast nut turning. Easy action because of their ball bearing handle knobs. 3/8" stock, 3" throw.
5280	**18 INCHES LONG**
* ~~5281~~	~~**14 INCHES LONG**~~

*Temporarily discontinued



5261 5259 5280-5281 5262-5263

THE PLOMB LINE IS THE ACCEPTED LINE IN ALL INDUSTRIES

PLOMB Streamlined Tools

Regular Cub Sockets 3/8" Square Drive

Square, Hexagon and 12 Point

12 Point Regular Sockets



Hex and 12 Point Regular Sockets

12 Point Deep Sockets



Universals

5018SP

Catalog Number	Opening Size	Sq.-Hex. or 12 Pt.	USS Bolt Sizes	Amer. Std. Bolt Size	SAE Bolt Size	Overall Length	Inside Clearance
* 5208	1/4"	Hex		4		15/16"	1/2"
* 5208S	1/4"	Square		4		15/16"	1/2"
5210	5/16"	12 Point	1/8"	5&6		15/16"	1/2"
* 5210H	5/16"	Hex	"	"		7/8"	1/2"
* 5211	11/32"	12 Point		8			
* 5211H	11/32"	Hex		8			
5212	3/8"	12 Point	3/16"	10		15/16"	1/2"
* 5212H	3/8"	Hex	"	"			
5214	7/16"	12 Point		12&1/4"	1/4"	15/16"	1/2"
* 5214H	7/16"	Hex		"			
5216	1/2"	12 Point	1/4"		5/16"	15/16"	1/2"
* 5216H	1/2"	Hex	"		"		
5218	9/16"	12 Point		5/16"	3/8"	1"	9/16"
5220	5/8"	do		3/8"	7/16"	1"	9/16"
* 5221	21/32"	do				1"	9/16"
5222	11/16"	do	3/8"			1 1/16"	5/8"
5224	3/4"	do		7/16"	1/2"	1 1/16"	5/8"

Deep Cub Sockets

5014	7/16"	12 Point		12&1/4"	1/4"	2 1/8"	1 3/4"
5016	1/2"	do	1/4"		5/16"	2 1/8"	1 3/4"
5018	9/16"	do		5/16"	3/8"	2 1/8"	1 3/4"
5020	5/8"	do		3/8"	7/16"	2 1/8"	1 3/4"

* 5000A—Deep Socket Set Inc. 5014-16-18 and 5020. (See P. 24)

Universal Cub Sockets

5273	3/8"	12 Point	3/16"	10"		1 3/8"	3/8"
5274	7/16"	do		12&1/4"	1/4"	1 3/8"	3/8"
5275	1/2"	do	1/4"		5/16"	1 1/2"	7/16"
5276	9/16"	do		5/16"	3/8"	1 9/16"	1/2"
5277	5/8"	do		3/8"	7/16"	1 11/16"	9/16"
5278	11/16"	do	3/8"			1 13/16"	9/16"
5279	3/4"	do		7/16"	1/2"	1 13/16"	9/16"

Spark Plug Sockets

* TEMPORARILY DISCONTINUED

10 & 14 m.m. Spark Plug Sockets. Rubber Lining ("A" in picture) protects porcelain. Shoulder prevents going on too far. Sets see P. 24.

No.	Hex. Size	No.	Hex. Size	
5018SP	9/16"	5028SP	7/8"	11/16"-10MM Globe—Auto Lite—Champion.
5020SP	5/8"	5030SP	15/16"	9/16"-10MM AC-Y Series.
5022SP	11/16"	See sets		5/8"-10MM AC 104 Series.
5026SP	13/16"	Page 24		13/16"-14MM All Makes.

DISCONTINUED

* TEMPORARILY DISCONTINUED

BUY PLOMB SELECTED SETS AND SAVE!

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

PLOMB
SOCKET and ATTACHMENT SETS

SOCKET AND ATTACHMENT MEDIUM DUTY SETS



3/8" SQ. DRIVE SOCKET AND ATTACHMENT SET NO. 5200 SR

3/8" SQ. DRIVE

SOCKET AND ATTACHMENT SET
5200 SR SET

This is an ideal basic set upon which you can build your tool set of the future. Initial items are selected to give the utmost in utility, yet within a minimum cost.

5200 SR SET

5212	3/8" 12 point socket
5214	7/16" 12 point socket
5216	1/2" 12 point socket
5218	9/16" 12 point socket
5220	5/8" 12 point socket
5222	11/16" 12 point socket
5224	3/4" 12 point socket
5260	Extension 3-1/2" long
5265	Hinge Handle
5249	Rev. Ratchet
5295	Metal Box

5200-S SET

Same as No. 5200-SR set less No. 5249 Rev. Ratchet.

5200-NR SET

No. 5200-NR (in Cardboard Box) same as No. 5200-SR set less No. 5295 Metal Box.

5200-N SET

No. 5200-N set (in Cardboard Box) same as No. 5200-SR set less No. 5249 Rev. Ratchet and No. 5295 Metal Box.



1/2" SQ. DRIVE SOCKET AND ATTACHMENT SET NO. 5400SR

1/2" SQ. DRIVE

A proven set that has won wide approval through its practical usefulness.

5400 SR SET

5414	7/16" 12 point socket
5416	1/2" 12 point socket
5418	9/16" 12 point socket
5420	5/8" 12 point socket
5422	11/16" 12 point socket
5424	3/4" 12 point socket
5426	13/16" 12 point socket
5428	7/8" 12 point socket
5430	15/16" 12 point socket
5432	1" 12 point socket
5461	Extension 5" long
5467	Hinge Handle 15" long
5449	Rev. Ratchet
5495	Metal box

5400-S SET

Same as No. 5400-SR set less No. 5449 Rev. Ratchet.

5400-NR SET

No. 5400-NR set (in Cardboard Box) same as No. 5400-SR set less No. 5495 Metal Box.

5400-N SET

No. 5400-N set (in Cardboard Box) same as No. 5400-SR set less No. 5449 Rev. Ratchet and No. 5495 Metal Box.

PLOMB Streamlined Tools

Standard Sockets and Attachments—½" Drive



5468 5467 5466 5449 5486 5485 5466PH

5449 REVERSIBLE RATCHET.
The strongest, lightest and thinnest ratchet made. Reversible at a flip of the lever. Length 10¼". Wt. 1½ lbs.

RATCHET PARTS.

5449B	Body
5449C	Cover
5449DL	Dog, Left
5449DR	Dog, Right
5449H	Cover Screw
5449R	Rev. Assembly
5449S	Spring
5449W	Wheel with Plug

THE HINGE HANDLE.
Three for you to choose from. All upset knurled handles drilled with pinhole. Slender shanks, lightness and balance.

5466 9½" LONG, WEIGHT ¾ lb.
5467 15" LONG, WEIGHT 1¼ lb.
5468 18" LONG, WEIGHT 1¾ lb.,

5466PH PIN HANDLE.
A handy little bar to be used with any Plomb extension or hinge handle. 11½" long, ½" stock.

5485 THE SLIDING BAR.
Friction Ball Hold Plug in any position. Used as a "T" or offset handle. 14" long, weight 1¼ lb.

5486 THE ELL HANDLE.
Where real leverage is required the ell handle is tops. 14" long, weight 1¼ lb.



PLOMB TORKERS

Featuring 2-Way Drive, ½" conections with Floating Handle. No moving parts to break or get out of commission. Accuracy assured.

~~*5403—Calibrated up to 50 foot pounds.~~
5402—Calibrated up to 100 foot pounds.
~~*5404—Calibrated up to 150 foot pounds.~~

*Temporarily discontinued

THE PLOMB LINE IS THE SAFE LINE FOR ALL MECHANICS

PLOMB ADAPTORS

5254

Increase the range of your Cub and Standard Sets with Plomb Adaptors. Makes it possible to use Cub Sockets with Standard Drive Attachments and vice versa. The same is true with your Heavy Duty Sets too. See Pages 36-39.

5253	½ Sq. Male x ⅜ Sq. Female	5453	½ Sq. Male x ¾ Sq. Female
5254	⅜ Sq. Male x ½ Sq. Female	5653	¾ Sq. Male x ½ Sq. Female

5253

DRAG LINK SCREW DRIVERS.
Many uses especially on any large slotted screws and used with most ½" drive attachments. Non-replaceable.

5444 Bit ¾" Wide, Length 1 9/16".
5446 Bit 1" Wide, Length 1 9/16".

PLOMB EXTENSIONS.
Increase to a wider range the use of your sockets and attachments. Each Plomb extension drilled with hole for pin handle except No. 5460.

5460 2½ **INCH EXTENSION.**
5461 5 **INCH EXTENSION.**
5463 10 **INCH EXTENSION.**
5464 18 **INCH EXTENSION.**

* ~~5469~~ ~~**SPEED HINGE HANDLE.**~~
Combines the features of a speeder and hinge handle. Ball bearing grip. 7" Dia. Swing.

9/16" Stock 16" Long, Wt. 1¾ lb.

5470 **UNIVERSAL JOINT.**
Nothing makes your work easier than a Universal Joint when working at some difficult angle.

SPEED HANDLES.
Nothing finer than these Ball Bearing Speeders for really speeding nuts on or off.

5480 18" Long ½" Stock, Ball Bearing, Knurled Grip 4" Throw.

~~5482 18" Long, ⅜" Stock, Ball Bearing, Knurled Grip 3" Throw.~~

*Temporarily discontinued

½" Square Drive



5470 5444-6



5460 5461 5480 5469 5482 5463 5464

PLOMB Streamlined Tools

Standard Sockets ½" Square Drive



12 POINT

12 POINT EXTRA DEEP



8 POINT



SQUARE



12 POINT UNIVERSALS

Cat. No.	Opening Size	U.S.S. Bolts & Nuts	Amer. Std. Bolts & Nuts	S.A.E. Bolt Size	Overall Length	Inside Clearance
STANDARD 12 POINT						
5414	7/16		12 & 1/4	1/4	1 3/8	3/4
5416	1/2	1/4		5/16	1 3/8	3/4
5418	9/16		5/16	3/8	1 3/8	3/4
5419	19/32	5/16			1 3/8	3/4
5420	5/8		3/8	7/16	1 3/8	3/4
5421	21/32				1 3/8	3/4
5422	11/16	3/8			1 3/8	7/8
5424	3/4		7/16	1/2	1 3/8	7/8
5425	25/32	7/16			1 3/8	7/8
5426	13/16		1/2		1 3/8	7/8
5428	7/8	1/2	9/16	9/16	1 1/2	1
5429	29/32				1 1/2	1
5430	15/16		5/8	5/8	1 1/2	1
5431	31/32	9/16			1 1/2	1
5432	1			11/16	1 1/2	1
5434	1 1/16	5/8		3/4	1 1/2	1
5436	1 1/8		3/4		1 3/4	1 1/4
5438	1 3/16				1 3/4	1 1/4
5440	1 1/4	3/4		7/8	1 3/4	1 1/4
STANDARD 12 POINT EXTRA DEEP						
5340	1/2	1/4		5/16	3 1/4	2 3/4
5341	9/16		5/16	3/8	3 1/4	2 3/4
5343	5/8		3/8	7/16	3 1/4	2 3/4
5344	11/16	3/8			3 1/4	2 3/4
5345	3/4		7/16	1/2	3 1/4	2 3/4
5347	13/16		1/2		3 1/4	2 3/4
5348	7/8	1/2	9/16	9/16	3 1/4	2 3/4
*~~5348S~~	~~7/8~~	~~1/2~~	~~9/16~~	~~9/16~~	~~3 1/4~~	~~2 3/4~~
5349	15/16		5/8	5/8	3 1/4	2 3/4
5351	1			11/16	3 1/4	2 3/4
5352	1 1/16	5/8		3/4	3 1/4	2 3/4
5353	1 1/8		3/4		3 1/4	2 3/4
STANDARD 8 POINT						
5412S	3/8		10		1 3/8	3/4
5414S	7/16		12 & 1/4		1 3/8	3/4
5416S	1/2	1/4			1 3/8	3/4
5418S	9/16		5/16		1 3/8	3/4
*~~5400SA~~	~~Set of 4 sockets as listed.~~					
5420S	5/8		3/8		1 3/8	7/8
5422S	11/16	3/8			1 1/2	1
5424S	3/4		7/16		1 1/2	1
5426S	13/16		1/2		1 1/2	1
5428S	7/8	1/2	9/16		1 3/4	1 1/4
5432S	1				1 3/4	1 1/4
*~~5434S~~	~~1 1/16~~	~~5/8~~			~~2~~	~~1 1/2~~
*~~5440S~~	~~1 1/4~~	~~3/4~~			~~2~~	~~1 1/2~~
UNIVERSAL SOCKETS 12 POINT						
5475	1/2	1/4		5/16	1 25/32	
*~~5476~~	~~9/16~~	~~3/8~~	~~5/16~~		~~1 13/16~~	
*~~5477~~	~~5/8~~		~~3/8~~	~~7/16~~	~~1 7/8~~	
*~~5478~~	~~11/16~~	~~3/8~~			~~1 15/16~~	
*~~5479~~	~~3/4~~		~~7/16~~	~~1/2~~	~~2~~	
5470	**Universal Joint,** Overall Length, 2 1/64 in.					

*Temporarily discontinued

HEAVY DUTY SOCKETS AND ATTACHMENTS

3/4" SQUARE DRIVE



No. 5649

5668PH



5686 5660-61-63 5668 5685

No. 5649

REVERSIBLE RATCHET, complete with Adaptor Plug. Precision made, overall length 20". (5648 is Ratchet without 5652 Plug.) Wt., 5½ lbs.

RATCHET PARTS 5649

*~~5649B~~	Body	5649R	Rev. Assembly
5649C	Cover	5649S	Spring
5649DL	Dog Left	5649W	Wheel
5649DR	Dog Right		Female
5649H	Cover Screw	5652	Flanged Drive Plug

*Temporarily discontinued

No. 5668

HEAVY DUTY HINGE HANDLE. Hinged plug operates at any angle and is held firmly in position by friction ball. 22" long. Wt., 3½ lbs.

No. 5685

SLIDING BAR HANDLE. 13/16" diameter bar is 18" long. Friction ball in plug holds it at any point on bar. Wt., 3¼ lbs

No. 5686

HEAVY-DUTY ELL HANDLE. A very handy tool that gives powerful leverage; deeply knurled grip; 17" long. Wt., 4½ lbs.

No. 5660	5" EXTENSION.	With Hole for Pin Handle.
No. 5661	8" EXTENSION.	
No. 5663	16" EXTENSION.	

No. 5668PH PIN HANDLE. 5/8" Stock, 12" long

PLOMB Streamlined Tools

12 POINT

Heavy Duty 3/4" Square Drive Sockets

* HEXAGON

Catalog No.		12 pt. Opening	SAE Bolt Size	U.S.S. Bolt Size	Amer. Std. Bolt Size	Overall Length	Inside Clearance
Standard 12 Pt.	Std. Hex.						
5528	* ~~5528H~~	7/8"	9/16"	1/2"	9/16"	1 3/4"	1"
5530	* ~~5530H~~	15/16"	5/8"		5/8"	1 3/4"	1"
5532		1"	11/16"			2"	1 1/4"
5534		1 1/16"	3/4"	5/8"		2"	1 1/4"
5536	* ~~5536H~~	1 1/8"			3/4"	2 5/16"	1 9/16"
5538		1 3/16"				2 5/16"	1 9/16"
5540		1 1/4"	7/8"	3/4"		2 5/16"	1 9/16"
5542		1 5/16"			7/8"	2 1/2"	1 3/4"
5544		1 3/8"				2 5/8"	1 7/8"
5546		1 7/16"	1"	7/8"		2 5/8"	1 7/8"
5548		1 1/2"			1"	3 1/2"	2 3/4"
5550		1 9/16"				3 1/2"	2 3/4"
5552		1 5/8"	1 1/8"	1"		3 1/2"	2 3/4"
5554		1 11/16"			1 1/8"	3 1/2"	2 3/4"
5556		1 3/4"				3 1/2"	2 3/4"
5558		1 13/16"	1 1/4"	1 1/8"		3 1/2"	2 3/4"
5560		1 7/8"			1 1/4"	3 1/2"	2 3/4"
5564		2"	1 3/8"	1 1/4"		3 1/2"	2 3/4"
5568		2 1/8"				3 1/2"	2 3/4"
5572		2 1/4"			1 1/2"	3 13/16"	3 1/16"
5576		2 3/8"		1 3/4"		3 7/8"	3 1/8"

*Temporarily discontinued

No. 5670
UNIVERSAL JOINT,
3 17/32" overall length. 3/4" male and female drives.





Socket Adaptors

5453 1/2" square male by 3/4" sq. female.
5653 3/4" square male by 1/2" sq. female.
5853 1" square male by 3/4" sq. female.
5854 3/4" square male by 1" sq. female.

PLOMB

SOCKET and ATTACHMENT SETS

SOCKET AND ATTACHMENT HEAVY DUTY SETS

¾" SQ. DRIVE

TOOL NO.	5500 NR SET
5534	1-1/16" 12 point socket
5536	1-1/8" 12 point socket
5540	1-1/4" 12 point socket
5542	1-5/16" 12 point socket
5546	1-7/16" 12 point socket
5548	1-1/2" 12 point socket
5552	1-5/8" 12 point socket
5556	1-3/4" 12 point socket
5661	Extension 8" long
5685	Sliding Bar
5649	Rev. Ratchet
5695	Metal Box

5500 N SET

Same as above less No. 5649 Rev. Ratchet



SOCKET AND ATTACHMENT SET NO. 5500 NR

Designed for tough service, this complete, dependable set leaves little to be desired, when the job calls for heavy work.

1" SQ. DRIVE

TOOL NO.	DESCRIPTION
5758	1-13/16" 12 point socket
5764	2" 12 point socket
5770	2-3/16" 12 point socket
5776	2-3/8" 12 point socket
5782	2-9/16" 12 point socket
5788	2-3/4" 12 point socket
5848	Reversible Ratchet
5852	1" Plug for Above Ratchet
* ~~5868~~	~~27" Hinge Handle~~
5861	8" Long Extension
5884	24" Sliding Bar
5885	Sliding Plug for Above Bar
5894	Heavy Metal Box



SOCKET AND ATTACHMENT SET NO. 5700-OC *

*Temporarily discontinued

For those really tough jobs that demand extra sturdy tools, this set has all the answers. It's as complete as it is serviceable.

PLOMB Streamlined Tools

Extra Heavy Duty--1″ Square Drive



1″ Square Drive

No. 5849

THE PLOMB RATCHET

The big bertha of ratchets. Made strong for powerful pulls at high speed. Reversible, Interchangeable Drive Plugs. Wt. 12 lbs. 26″ overall length.

5848—Ratchet only 1″ sq. female wheel.
5852—1″ square male adaptor plug.
* ~~**5855**—1″x¾″ square male adaptor plug.~~
5849—Ratchet complete 1″ sq. male drive.



*

*

5855 5849W 5852

RATCHET REPAIR PARTS FOR 5848

* ~~**5848B**—Body~~
5848C—Cover
5848DL—Dog, Left
5848DR—Dog, Right
5848H—Cover Screws
5848R—Rev. Assembly
5848S—Spring
5848W—Wheel
* ~~**5849W**—Male Wheel~~

*Temporarily discontinued



5861



5863



5868

5884

5885

THE PLOMB LINE IS THE SPEED LINE FOR SAVING TIME

Extra Heavy Duty--1″ Square Drive

Extensions

Extensions make it possible to get into those hard-to-reach places. Used with every attachment and socket on this page.

5861—9″ EXTENSION

1″ square connections. Female end drilled for 1″ bar. Friction ball holds bar firmly at any point. Wt. 2½ lbs.

5863—18″ EXTENSION

Same specifications as No. 5861. Wt. 4½ lbs.

Adaptors



Adaptors increase the range of your tools. They make it possible to use ¾″ Drive Sockets with these 1″ drive attachments or the 1″ drive sockets with your ¾″ drive attachments.

5853—1″ square male by ¾″ square female.
5854—¾″ square male by 1″ square female.

*** No. 5868—HINGE HANDLE**

You will find this the handiest tool for nut turning you ever used. 26″ long, 1⅛″ diameter handle, knurled grip. 1″ male connection. Wt. 8½ lb.

5884—1″ BAR

This handy bar is used to turn the Big Plomb Sockets which are drilled with a hole to fit this bar. Used as a Handle to make a T drive with Plomb extensions. 24″ long. Equipped with spring ball stop on one end. Wt. 5¼ lbs.

5885—SLIDING PLUG

Used with No. 5884 Bar as Sliding Bar Handle. Has friction ball to hold it firmly at any point on bar. Wt. 1¼ lbs.



EXTRA HEAVY-DUTY SOCKETS

Big, sturdy sockets that can take real rugged punishment. Bell shaped for lightness. Each socket drilled with hole so they can be used with sliding bar handle.

	No.	12-Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S. A. E. Bolt Size	Overall Length	Inside Clearance
*	5752	1⅜″	1″		1⅛″	3¼″	2¼″
*	5758	1 13/16″	1⅛″		1¼″	3 5/16″	2 5/16″
	5760	1⅞″		1¼″		3⅜″	2⅜″
	5764	2″	1¼″		1⅜″	3 7/16″	2 7/16″
	5770	2 3/16″	1⅜″		1½″	3 9/16″	2 9/16″
	5772	2¼″		1½″		3 13/16″	2 13/16″
	5776	2⅜″	1½″			3⅞″	2⅞″
	5780	2½″				3 15/16″	2 15/16″
	5782	2 9/16″	1⅝″			4″	3″
	5784	2⅝″		1¾″		4 1/16″	3 1/16″
	5788	2¾″	1¾″			4⅛″	3⅛″
	5794	2 15/16″	1⅞″			4⅜″	3⅜″
	5800	3⅛″	2″			4⅝″	3⅝″
*	5812	3½″	2¼″			5½″	4½″
*	* 5754	1 11/16″		1⅛″		3 5/16″	2 5/16″

*Temporarily discontinued

PLOMB

PLOMB IMPACT SOCKETS AND INTERCHANGE LIST

PLOMB IMPACT SOCKETS are made from special alloy steel to do better work. Ruggedly constructed they will give long and satisfactory service under the hardest conditions.



TYPE 2



8-POINT
NOT ILLUSTRATED



TYPE 3

1" SQUARE DRIVE

TYPE 3—SQUARE SOCKET

Plomb No.	Wrench Nominal Inches	Overall Length Inches	Nose Diameter Inches	Body Diameter Inches	Snap-On Number	Chicago Pneumatic No.		Ingersoll-Rand Number	
~~*10016S~~	~~1"~~	~~2-1/8"~~	~~1-23/32"~~	~~2-1/8"~~	~~1P732~~	~~C-39499~~	WRENCH NO. 365	~~1P732~~	WRENCH NO. 534
~~*10017S~~	~~1-1/16"~~	~~2-1/8"~~	~~1-25/32"~~	~~2-3/16"~~	~~1P734~~	~~C-39496~~		~~1P734~~	
10018S	1-1/8"	2-1/4"	1-29/32"	2-1/4"	1P736	C-39475		1P736	
10020S	1-1/4"	2-1/4"	2-1/32"	2-3/8"	1P740	C-39599		1P740	
10021S	1-5/16"	2-5/16"	2-5/32"	2-9/16"	1P742	C-39476		1P742	
10023S	1-7/16"	2-7/16	2-3/8"	2-5/8"	1P746	C-39530		1P746	

TYPE 2—HEXAGON SOCKET

~~*10016~~	~~1"~~	~~2-1/8"~~	~~1-7/16"~~	~~2-1/8"~~	~~1P323~~	~~C-39643~~	WRENCH NO. 365	~~1P323~~	WRENCH NO. 534
10018	1-1/8"	2-3/16"	1-19/32"	2-1/8"	1P363	C-39644		1P363	
10020	1-1/4"	2-3/16"	1-23/32"	2-1/8"	1P403	C-39645		1P403	
10021	1-5/16"	2-3/16"	1-13/16"	2-1/8"	1P423	C-39722		1P423	
~~*10022~~	~~1-3/8"~~	~~2-1/4"~~	~~1-15/16"~~	~~2-1/4"~~		~~C-39646~~			
10023	1-7/16"	2-5/16"	1-15/16"	2-1/4"	1P463	C-39467		1P463	
10024	1-1/2"	2-5/16"	2-3/32"	2-5/16"	1P483	C-39497		1P483	
10026	1-5/8"	2-7/16"	2-7/32"	2-7/16"	1P523	C-39533		1P523	
10027	1-11/16"	2-7/16"	2-5/16"	2-9/16"	1P543	C-39498		1P543	
10029	1-13/16"	2-9/16"	2-7/16"	2-3/4"	1P583	C-39474		1P583	
10030	1-7/8"	2-9/16"	2-17/32"	2-3/4"	1P603	C-39468		1P603	
10032	2"	2-11/16"	2-21/32"	3"	1P643	C-39534		1P643	
10033	2-1/16"	2-11/16"	2-3/4"	3"	1P663	C-39723		1P663	
10035	2-3/16"	2-13/16"	2-7/8"	3-1/4"	1P703	C-39601		1P703	

3/4-INCH SQUARE DRIVE

TYPE 1—8-POINT SQUARE SOCKET

~~*07516S~~	~~1"~~	~~2-1/16"~~	~~1-11/16"~~	~~2"~~	~~1P632~~	~~C-67461~~	WRENCH NO. 360	~~1P632~~	WRENCH NO. 534
~~*07517S~~	~~1/16"~~	~~2-1/16"~~	~~1-3/4"~~	~~2-1/8"~~	~~1P634~~	~~C-67462~~		~~1P634~~	
~~*07518S~~	~~1/8"~~	~~2-3/16"~~	~~1-29/32"~~	~~2-1/4"~~	~~1P636~~	~~C-67463~~		~~1P636~~	
~~*07520S~~	~~1/4"~~	~~2-3/16"~~	~~2-1/32"~~	~~2-3/8"~~	~~1P640~~	~~C-67465~~		~~1P640~~	

*Temporarily discontinued

TYPE 2—HEXAGON SOCKET

07512	3/4"	1-7/8"	1-5/32"	1-5/8"	1P242	C-67446	WRENCH NO. 360	1P242	WRENCH NO. 511
07513	13/16"	1-7/8"	1-5/32"	1-5/8"	1P262	C-67448		1P262	
07514	7/8"	2"	1-1/4"	1-5/8"	1P282	C-62246		1P282	
07515	15/16"	2"	1-5/16"	1-3/4"	1P302	C-67449		1P302	
07516	1"	1-1/16"	1-7/16"	1-7/8"	1P322	C-67450		1P322	
07517	1-1/16"	2-1/16"	1-1/2"	1-7/8"	1P342	C-67451		1P342	
07518	1-1/8"	2-3/16"	1-19/32"	2"	1P362	C-67452		1P362	
07520	1-1/4"	2-3/16"	1-23/32"	2-1/8"	1P402	C-67454		1P402	
07521	1-5/16"	2-3/16"	1-13/16"	2-1/8"	1P422	C-67455		1P422	
07523	1-7/16"	2-5/16"	1-15/16"	2-1/4"	1P462	C-67457		1P462	

Industrial STRIKING WRENCH



Pat. Pend.

Striking Wrenches are equipped with square striking shank for use in restricted quarters with a hammer. They are offset to allow maximum clearance. Oxidized Blue finish. Made from Alloy Steel.

Cat. No.	12 Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S.A.E. Bolt Size	Overall Length	Head Thickness	Wt.
			An Original Plomb Development!				
2617SW	1 1/16"	5/8"		3/4"	10 3/4"	3/4"	1 1/2
2618SW	1 1/8"		3/4"		10 3/4"	3/4"	1 1/2
2620SW	1 1/4"	3/4"		7/8"	11 1/8"	13/16"	2
*2621SW	1 5/16"		7/8"		11 1/8"	13/16"	2
2623SW	1 7/16"	7/8"		1"	12 1/8"	1"	3 1/2
2624SW	1 1/2"		1"		12 1/8"	1"	3 1/2
2626SW	1 5/8"	1"		1 1/8"	12 1/4"	1 1/16"	4
2627SW	1 11/16"		1 1/8"		12 1/4"	1 1/16"	4
2629SW	1 13/16"	1 1/8"		1 1/4"	13 7/16"	1 1/8"	5
2630SW	1 7/8"		1 1/4"		13 7/16"	1 1/8"	5
2632SW	2"	1 1/4"		1 3/8"	13 9/16"	1 1/4"	5 1/2
2635SW	2 3/16"	1 3/8"		1 1/2"	13 1/2"	1 3/8"	7 3/4
2638SW	2 3/8"	1 1/2"			13 7/8"	1 1/2"	8 3/4
2641SW	2 9/16"	1 5/8"			13 7/8"	1 1/2"	8 3/4
2644SW	2 3/4"	1 3/4"			16"	1 7/8"	12 3/4
2647SW	2 15/16"	1 7/8"			16"	1 7/8"	12 3/4
2650SW	3 1/8"	2"			16"	1 7/8"	12 3/4

*Temporarily discontinued

PLOMB Streamlined Tools

SHORT



TYPE

Industrial Slugging Wrenches--

Extra heavy duty design in both the short and long types. 12 point openings from 1 5/16" to 3½". These wrenches are adaptable to all heavy industrial work where space is very limited. Finish oxidized blue. Non-replaceable. **Specifications Opp. Page.**



LONG TYPE

Industrial

Slugging Wrenches

Short Type Cat. No.	Long Type Cat. No.	12 Pt. Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	Overall Length Short Type	Weight in Lbs. Short Type	Overall Length Long Type	Weight in Lbs. Long Type
USN 221	**USN**	1 5/16"		7/8"	6"	1 3/4	8 3/8"	
USN 223	**USN**	1 7/16"	7/8"		6"	1 7/8	8 3/8"	
USN 224	**USN**	1 1/2"		1"	6"	1 7/8	8 3/8"	
USN 226	**USN 326**	1 5/8"	1"		7"	3 1/4	10 1/2"	3 1/4
USN 227	**USN 327**	1 11/16"		1 1/8"	7"	3 1/4	10 1/2"	3
USN 229	**USN 329**	1 13/16"	1 1/8"		7"	3 1/4	10 1/2"	3
USN 230	**USN 330**	1 7/8"		1 1/4"	7"	3 1/4	10 1/2"	3
USN 232	**USN 332**	2"	1 1/4"		7"	5 1/4	11"	5
USN 235	**USN 335**	2 3/16"	1 3/8"		7"	4 3/4	11"	4 1/2
USN 236	**USN 336**	2 1/4"		1 1/2"	7"	4 3/4	11"	4 1/2
USN 238	**USN 338**	2 3/8"	1 1/2"		8 1/2"	8 1/2	14 1/2"	6 1/2
USN 241	**USN 341**	2 9/16"	1 5/8"		8 1/2"	8	14 1/2"	8
USN 242	**USN 342**	2 5/8"		1 3/4"	8 1/2"	8 1/4	14 1/2"	8
USN 244	**USN 344**	2 3/4"	1 3/4"		9 1/2"	12 1/2	15 3/4'	12
USN 247		2 15/16"	1 7/8"		9 1/2"	11 1/2		11 1/4
USN 248	**USN 348**	3"		2"	9 1/2"	12	15 3/4"	11 3/4
USN 250	**USN 350**	3 1/8"	2"		9 3/4"	13 1/2	15 3/4"	10 3/4
USN 254	**USN 354**	3 3/8"		2 1/4"	10"	15 3/4	17 3/8"	15 1/2
USN 256	**USN 356**	3 1/2"	2 1/4"		10"	15 1/4	17 3/8"	15

Plomb Industrial Slugging Wrenches are designed for all types of heavy industrial work where the working space is extremely limited or highly congested. The 12 point opening fits snugly upon the bolt or nut and will remain in position while being struck with heavy hammer or sledge.

This wrench has been a boon to shipbuilders, installing or repairing machinery in ships, diesel power plants, railroad repair shops, oil refineries or any place where heavy machinery is located. Non-replaceable.

PLOMB Streamlined Tools



Patent Pending

Industrial WRENCHES
1000 SERIES



Plomb design will clear at approximately 15° less than standard practice minimum centers.

EXTRA HEAVY DUTY DOUBLE END BOX WRENCHES

Superior design, masterful forging, have made these Plomb Box Wrenches the preference of Industry.

These wrenches are made stronger in the neck, or offset, but done without increasing thickness between the broached opening and the under side of the offset. The crescent shaped neck section is not only stronger but will work in closer places. High pressure flanges and castings with ribs or bosses adjacent to bolt holes are examples of work where minimum rear wall thickness is invaluable. Safety Engineers whole-heartedly endorse these wrenches. Finish Ind. blue.



Patent Pending

2600 SERIES **Industrial WRENCHES**

Extra Heavy Duty Combination Box and Spud End Wrench

You will note a new innovation in this wrench, as Plomb has introduced a real safety factor. It is a combination box wrench with tapered spud handle.

The danger of spreading or slipping, common to the open end wrench under heavy work, is eliminated while this wrench provides the added factor of safety under powerful pulls.

It will help you make quick work of loosing frozen or corroded bolts or nuts. The spud end is very handy for aligning holes in flanges.

Note in particular the clearance provided by the offset head which overcomes the usual clearance problems. The finish is Industrial Blue. They make an ideal wrench for construction work, oil refineries, etc.

These wrenches are forged from alloy steel and specifications appear on next page.

Cat. No.	12 Pt. Opening Sizes	U.S.S. Bolt Size	S.A.E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness	Wt.
1036	11/16" 7/8"	3/8" 1/2"	— 9/16"	— 9/16"	11½"	1/2" 9/16"	1
1041	7/8" 1 1/16"	1/2" 5/8"	9/16" 3/4"	9/16" —	15"	5/8" 1 1/16"	1¾
1045	15/16" 1"	— —	5/8" 11/16"	5/8" —	15"	5/8" 1 1/16"	2
1051	1 1/16" 1 1/4"	5/8" 3/4"	3/4" 7/8"	— —	16½"	3/4" 13/16"	2½
1053	1 1/8" 1 5/16"	— —	— —	3/4" 7/8"	16½"	3/4" 13/16"	2½
1061	1 1/4" 1 7/16"	3/4" 7/8"	7/8" 1"	— —	20"	7/8" 15/16"	4¼
1063	1 7/16" 1 5/8"	7/8" 1"	1" 1 1/8"	— —	24"	1" 1 1/16"	5¼
1066	1 13/16" 2"	1 1/8" 1 1/4"	1 1/4" 1 3/8"	— —	30"	1 1/8" 1 1/4"	8¼
~~*1068~~	2" 2 3/8"	1 1/4" 1 1/2"	1 3/8" —	— —	32"	1 1/4" 1 1/2"	12¼
1069	2 3/16" 2 3/8"	1 3/8" 1 1/2"	1 1/2" —	— —	32"	1 3/8" 1 1/2"	12¼

CATALOG NO.	12 Pt. Opening	U.S.S. Bolt Size	Am. Std. Bolt Size	S.A.E. Bolt Size	Overall Length Spud End	Head Thickness	Weight In Pounds
~~* 2613~~	~~1 3/16"~~		~~1/2"~~		~~11 3/4"~~	~~5/8"~~	~~1~~
~~* 2615~~	~~1 5/16"~~		~~5/8"~~	~~5/8"~~	~~11 3/4"~~	~~5/8"~~	~~1 1/8~~
2617	1 1/16"	5/8"		3/4"	14 3/4"	3/4"	1½
2618	1 1/8"		3/4"		14 3/4"	3/4"	1½
2620	1 1/4"	3/4"		7/8"	17"	13/16"	2
~~* 2621~~	~~1 5/16"~~		~~7/8"~~		~~17"~~	~~13/16"~~	~~2~~
2623	1 7/16"	7/8"		1"	20½"	1"	3½
2624	1½"		1"		20½"	1"	3½
2626	1 5/8"	1"		1 1/8"	21½"	1 1/16"	4
2627	1 11/16"		1 1/8"		21½"	1 1/16"	4
2629	1 13/16"	1 1/8"		1 1/4"	22 3/4"	1 1/8"	5
2630	1 7/8"		1 1/4"		22 3/4"	1 1/8"	5
2632	2"	1 1/4"		1 3/8"	24½"	1 1/4"	5½
2635	2 3/16"	1 3/8"		1 1/2"	26"	1 3/8"	7¼
2638	2 3/8"	1 1/2"			27 3/4"	1 1/2"	8½
2641	2 9/16"	1 5/8"			27 3/4"	1 1/2"	8
2644	2 3/4"	1 3/4"			30"	1 7/8"	14
2647	2 15/16"	1 7/8"			30"	1 7/8"	14¼
2650	3 1/8"	2"			30"	1 7/8"	14½

*Temporarily discontinued

PLOMB Streamlined Tools



BOX WRENCHES 15° ANGLE

The wrench of perfect balance. Note in the diagram . . . how the angle of the heads clears obstructions. No more skinned knuckles, shank has rounded edges, will not cut into your hand under heavy pulls.



15° OFFSET ALLOWS AMPLE CLEARANCE

No.	12-Point Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness
1120	5/16" x 3/8"	1/8"-3/16"		5&6-10	4"	1/4"-1/4"
1122	3/8" x 7/16"	3/16"	1/4"	10-12&1/4"	4 1/2"	9/32"-9/32"
1125	7/16" x 1/2"	1/4"	1/4"-5/16"	12&1/4"	5"	5/16"-5/16"
1126	1/2" x 9/16"	1/4"	5/16"-3/8"	5/16"	6 1/4"	11/32"-11/32"
1127	1/2" x 19/32"	1/4"-5/16"	5/16"		7 1/4"	11/32"-11/32"
1130	9/16" x 5/8"		3/8"-7/16"	5/16"-3/8"	7 3/4"	3/8"-3/8"
1131	5/8" x 3/4"		7/16"-1/2"	3/8"-7/16"	9"	13/32"-13/32"
1134	5/8" x 11/16"	3/8"	7/16"	3/8"	9 3/4"	13/32"-13/32"
1135	11/16" x 3/4"	3/8"	1/2"	7/16"	10 1/2"	7/16"-7/16"
1136	11/16" x 7/8"	3/8"-1/2"	9/16"	9/16"	10 1/2"	7/16"-7/16"
1137	11/16" x 25/32"	3/8"-7/16"			11"	7/16"-7/16"
1139	3/4" x 7/8"	1/2"	1/2"-9/16"	7/16"-9/16"	11 1/2"	15/32"-15/32"
1140	13/16" x 7/8"	1/2"	9/16"	1/2"-9/16"	12 1/4"	15/32"-15/32"
1141	7/8" x 1 1/16"	1/2"-5/8"	9/16"-3/4"	9/16"	14"	1/2"-15/32"
1145	15/16" x 1"		5/8"-11/16"	5/8"	14"	1/2"-1/2"
1147	15/16" x 1 1/16"	5/8"	5/8"-3/4"	5/8"	15"	1/2"-1/2"
1150	1 1/16" x 1 1/8"	5/8"	3/4"	3/4"	16"	17/32"-17/32"
1151	1 1/16" x 1 1/4"	5/8"-3/4"	3/4"-7/8"		17"	9/16"-9/16"
1155	1 1/4" x 1 5/16"	3/4"	7/8"	7/8"	17 3/4"	5/8"-5/8"
1160	1 1/4" x 1 3/8"	3/4"	7/8"		18 1/4"	5/8"-5/8"
1161	1 1/4" x 1 7/16"	3/4"-7/8"	7/8"-1"		19 1/2"	11/16"-11/16"
1162	1 7/16" x 1 1/2"	7/8"	1"	1"	20 7/8"	3/4"-3/4"
1163	1 7/16" x 1 5/8"	7/8"-1"	1"-1 1/8"		22 1/2"	13/16"-13/16"
1164	1 5/8" x 1 11/16"	1"	1 1/8"	1 1/8"	24 1/2"	7/8"-7/8"

THE PLOMB LINE IS THE SPEED LINE FOR SAVING TIME

POPULAR SETS OF 15° BOX WRENCHES



1100-E

Cannot be shipped complete from factory but can be assembled by distributor.

You will find this handy set of 6 Plomb Box Wrenches the most useful set in your tool chest. Assorted openings cover a wide range of bolt and nut sizes. Contents follow: No. 1122, 3/8″x 7/16″; No. 1125, 7/16″x1/2″; No. 1126, 1/2″x9/16″; No. 1130, 9/16″x5/8″; No. 1135, 11/16″x3/4″; No. 1140, 13/16″x 7/8″; No. 2405, L'ette Kit. Wt., 1¾ lbs.

This large master set leaves little to ask for in an all-around assortment of Plomb's famous line of Double End Box Wrenches. 10 Wrenches that will give you opening sizes to fit most any nut or bolt that comes along. Specifications follow: No. 1120, 5/16″x3/8″; No. 1122, 3/8″x7/16″; No. 1125, 7/16″x1/2″; No. 1126, 1/2″x9/16″; No. 1130, 9/16″x5/8″; No. 1131, 5/8″x3/4″; No. 1135, 11/16″x3/4″; No. 1140, 13/16″x7/8″; No. 1145, 15/16″x1″; No. 1150, 1-1/16″x 1-1/8″; No. 2413, Kit. Wt., 4 lbs.

1100-F





1100-H

You can't afford to be without this very popular set of Plomb Double End Box Wrenches. 7 wrenches without a duplication in the 14 assorted opening sizes. Contents are: No. 1120, 5/16″x3/8″; No. 1125, 7/16″x1/2″; No. 1130, 9/16″x5/8″; No. 1135, 11/16″x3/4″; No. 1140, 13/16″x 7/8″; No. 1145, 15/16″x1″; No. 1150, 1-1/16″x1-1/8″; No. 2406, Leatherette Kit. Wt., 3½ lbs.

PLOMB Streamlined Tools

STREAMLINED OFFSET BOX WRENCHES

Midget

6-point openings. Amply offset to clear obstructions. A superb box wrench for all small nuts and bolts.

Stubby Type

12-point openings. Different openings each end. Short type lets you get into those tight places easily.





Standard Long Type

12-point openings, 60° angle offset on each end. Extra long. No duplication of opening sizes. Ample knuckle clearance.

SPECIFICATIONS

Midget Cat. No.	Stubby Cat. No.	Std. Long Type Cat. No.	6-Point Openings	12-Point Openings	Overall Length Midget	Overall Length Stubby	Overall Length Std. Long Type
8112			3/16" x 13/64"		2 13/16"		
8117			7/32" x 15/64"		3 3/32"		
8122			1/4" x 9/32"		3 3/8"		
8127			5/16" x 11/32"		3 3/4"		
	8160	8180		3/8" x 7/16"		5"	7 3/4"
	8161	8181		1/2" x 9/16"		5 1/2"	9 3/4"
	8162	8182		5/8" x 11/16"		6"	10"
	8163			3/4" x 13/16"		6 1/2"	
		8183		3/4" x 25/32"			11"
		8184		13/16" x 7/8"			12 3/4"
		8185		15/16" x 1"			14"

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION



Midget Box Wrench Set No. 8100-E

A superb set of Midget Box Wrenches that will find daily use in your work. Especially handy on little bolts and nuts. This set of 4 wrenches gives you a wide range of opening sizes. Specifications below:

Tool No.	6 Pt. Openings
8112	3/16" x 13/64"
8117	7/32" x 15/64"
8122	1/4" x 9/32"
8127	5/16" x 11/32"
2411	L'ette Kit. Wt., 1 lb. 2 oz.

Stubby Box Wrench Set No. 8100-A

One of the latest additions to the Plomb line was this type of Offset Box Wrench. Gets into those hard-to-reach places. This set will just about cover your every requirement. The contents are as follows:

Tool No.	12 Pt. Openings	Length
8160	3/8" x 7/16"	5"
8161	1/2" x 9/16"	5½"
8162	5/8" x 11/16"	6"
8163	3/4" x 13/16"	6½"

Canvas Bag Free. Wt., 1½ lbs.





Sets on this page cannot be shipped complete from factory but can be assembled by Distributor.

Light Duty Offset Box Wrench Set No. 8100-B

This set covers the most popular opening sizes from 3/8" to 1". One cannot afford to be without this set of wrenches. They will pay for themselves in no time by making your work quicker and easier. The set is listed below:

Tool No.	12 Pt. Openings
8180	3/8" x 7/16"
8181	1/2" x 9/16"
8182	5/8" x 11/16"
8183	3/4" x 25/32"
8184	13/16" x 7/8"
8185	15/16" x 1"

Canvas Bag Free. Wt., 3½ lbs.

PLOMB Streamlined Tools

Combination Box and Open-End Wrenches



Both openings same size, Box End offset 15°: Open End 15° Angle.

The Combination Open End and Box Wrench was first introduced to the American trade by the Plomb Tool Company—a wrench that has proved to be the most popular innovation in wrench manufacturing in a long time. You will note that both openings are the same size. The Box Wrench has always been famous for its safety features,—the Open End for its speed. Here you have in the one wrench the combination of both. Use the Box end for breaking loose or cinching,—the Open end for running the nut on or off.



No.	Both Openings	Overall Length	Box Head Thickness	Open Head Thickness	U.S.S. Bolt Size	S.A.E. Bolt Size	Amer. Std. Bolt Size	No.
1210	5/16"	3 1/2"	7/32"	3/16"	1/8"	-----	5 & 6	1210
1212	3/8"	4 1/2"	1/4"	1/4"	3/16"	-----	10	1212
1214	7/16"	5 1/2"	9/32"	1/4"	-----	1/4"	12 & 1/4"	1214
1216	1/2"	6 1/4"	5/16"	1/4"	1/4"	5/16"	-----	1216
1218	9/16"	7"	11/32"	1/4"	-----	3/8"	5/16"	1218
1220	5/8"	7 3/4"	3/8"	9/32"	-----	7/16"	3/8"	1220
1222	11/16"	8 1/2"	13/32"	5/16"	3/8"	-----	-----	1222
1224	3/4"	9 1/4"	7/16"	11/32"	-----	1/2"	7/16"	1224
1226	13/16"	10 1/4"	15/32"	11/32"	-----	-----	1/2"	1226
1228	7/8"	11 1/4"	15/32"	11/32"	1/2"	9/16"	9/16"	1228
1230	15/16"	12 1/4"	1/2"	3/8"	-----	5/8"	5/8"	1230
1232	1"	13 3/8"	1/2"	13/32"	-----	11/16"	-----	1232
1234	1 1/16"	14 1/2"	17/32"	13/32"	5/8"	3/4"	-----	1234
1236	1 1/8"	15 3/4"	17/32"	7/16"	-----	-----	3/4"	1236
1240	1 1/4"	17 1/2"	5/8"	1/2"	3/4"	7/8"	-----	1240
1242	1 5/16"	18"	5/8"	17/32"	-----	-----	7/8"	1242
1244	1 3/8"	18 1/2"	5/8"	9/16"		-----	-----	1244
1246	1 7/16"	19"	3/4"	9/16"	7/8"	1"	-----	1246

Combination Open-End and Box Wrench Sets

Cannot be shipped complete from factory but can be assembled by distributor.



Set No. 1200-A

Here are four of the most popular size openings —wrenches you will find use for every day. Specifications follow: Wt. 1 lb.

Tool No.	Opening Size
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
2408	Leatherette Kit



Set No. 1200-G

Just twice as many sizes as listed in the above set. Eight wrenches in all—an all around assortment of the most useful openings. Contents are as follows: Wt. 2 lbs.

Tool No.	Opening Size
1210	5/16"
1212	3/8"
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
1222	11/16"
1224	3/4"
2406	Leatherette Kit

Set No. 1200-F

Here is your Master Combination Box and Open-End Wrench Set—15 opening sizes as listed below: Wt. 8 3/4 lbs.

Tool No.	Opening Size
1210	5/16"
1212	3/8"
1214	7/16"
1216	1/2"
1218	9/16"
1220	5/8"
1222	11/16"
1224	3/4"
1226	13/16"
1228	7/8"
1230	15/16"
1232	1"
1234	1 1/16"
1236	1 1/8"
1240	1 1/4"
2413	Leatherette Kit

PLOMB Streamlined Tools

FLARE NUT WRENCHES



Designed to meet the rigid requirements of the U.S. Army Air Forces and the U.S. Navy.

The primary use of the flare nut wrenches is in the assembly and maintenance of all types of lines, including fluid, air, gas, etc. It has a wide variety of applications in aviation, automotive, air conditioning fields, and refrigeration, as well as on such equipment as compressors and various pressure instruments. As illustrated, the head is flat and based on a modified 12 point design, with an opening which allows access to the fitting around tubing. The possibility of damage to the fitting is remote, because the wrench has better contact with the nut and cannot slip and chew it.



PART NO.	A SIZE OPENING	B CLEARANCE	C OUTSIDE DIA.	D OVERALL LENGTH	E HEAD THICKNESS
3716	1/2"	3/8"	31/32"	6-7/8"	7/16"
3718	9/16"	7/16"	31/32"	6-7/8"	7/16"
3720	5/8"	15/32"	1-1/8"	7-1/8"	1/2"
3724	3/4"	9/16"	1-9/32"	7-7/16"	9/16"
3728	7/8"	11/16"	1-15/32"	7-3/4"	5/8"
3730	15/16"	23/32"	1-15/32"	7-3/4"	5/8"
3732	1"	3/4"	1-19/32"	8-1/8"	3/4"
3734	1-1/16"	25/32"	1-19/32"	8-1/8"	3/4"
3736	1-1/8"	27/32"	1-25/32"	8-7/16"	7/8"

MIDGET WRENCHES



ELECTRICAL

15°—80° Both Openings Same Size

You will note the angle openings are 15-80°. Just what you want when working on timers, generators, radios, etc., for delicate adjustments.

CAT. NO.	OPENINGS	HEAD THICKNESS	LENGTH
3314	7/32"x7/32"	3/32"	3-1/4"
3315	15/64"x15/64"	3/32"	3-1/4"
3316	1/4"x1/4"	3/32"	3-1/4"
3318	9/32"x9/32"	5/32"	3-1/2"
3320	5/16"x5/16"	5/32"	3-1/2"
3322	11/32"x11/32"	5/32"	4"
3324	3/8"x3/8"	5/32"	4"
3328	7/16"x7/16"	5/32"	4-1/2"
3332	1/2"x1/2"	5/32"	4-1/2"



OBSTRUCTION

Paired openings, different size each end but with alternate angles on next wrench so all eight openings are provided in both 15° and 60° angles.

CAT. NO.	15° OPENING	60° OPENING	HEAD THICKNESS	OVERALL LENGTH
3210	13/64"	15/64"	3/32"	3"
3211	15/64"	13/64"	3/32"	3"
3215	7/32"	1/4"	3/32"	3"
3216	1/4"	7/32"	3/32"	3"
3220	9/32"	5/16"	5/32"	3-1/2"
3221	5/16"	9/32"	5/32"	3-1/2"
3225	11/32"	3/8"	9/64"	3-3/4"
3226	3/8"	11/32"	9/64"	3-3/4"

MIDGET WRENCH SETS

Open-End Set No. 3200-A

Here is a gem of a midget set of open-end wrenches in our 3200 Series, being 15° openings on one end and 60° on the other. 4 popular wrenches in all, as follows:

Tool No.	15° Opening	60° Opening
3210	13/64"	15/64"
3215	7/32"	1/4"
3220	9/32"	5/16"
3225	11/32"	3/8"
2411	Leatherette Kit	



Open-End Set No. 3200-D

This is the complete set even to including a pair of Plomb Midget Pliers. The Wrenches give you every opening size that we make in this type of wrench. Listed below are the contents.

Tool No.	15° Opening	60° Opening
3210	13/64"	15/64"
3211	15/64"	13/64"
3215	7/32"	1/4"
3216	1/4"	7/32"
3220	9/32"	5/16"
3221	5/16"	9/32"
3225	11/32"	3/8"
3226	3/8"	11/32"
235	Midget Plomb Plier	
2410	Leatherette Kit	



Open-End Set No. 3300-A

This set is our electrical type with one opening 15°, the other 75°, a well balanced set for all small work. The set consists of:

Tool No.	15° Opening	75° Opening
3314	7/32"	7/32"
3315	15/64"	15/64"
3316	1/4"	1/4"
3318	9/32"	9/32"
3320	5/16"	5/16"
3322	11/32"	11/32"
3324	3/8"	3/8"
3328	7/16"	7/16"
3332	1/2"	1/2"
2410	Leatherette Kit	

Cannot be shipped complete from factory but can be assembled by distributor.



PLOMB Streamlined Tools

15° OPEN END WRENCHES



"The Pride Line"

COMPARISON SHOWS PLOMB ADVANTAGES

Shown at the right is an ordinary open-end wrench (A) and an open-end wrench built the Plomb way (B). Compare the two. The special engineering and finest alloy steel used in the Plomb wrench result in one that's stronger, and easier and faster to work with. (1) Less overhang in opening. (2) More accurate fit. (3) Smaller, more compact head. (4) Slender shank with rounded edges as compared to thick sharp edged shank.



A



B

Cat. No.	Milled Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness	Cat. No.
3018	1/4"-5/16"	1/8"		4-5&6	3 1/2"	5/32"	3018
3020	5/16"-3/8"	1/8"-3/16"		5&6-10	4"	3/16"	3020
3021	3/8"-7/16"	3/16"	1/4"	10-12&1/4"	4 1/2"	7/32"	3021
3025	7/16"-1/2"	1/4"	1/4"-5/16"	12&1/4"	5"	7/32"	3025
3026	1/2"-9/16"	1/4"	5/16"-3/8"	5/16"	5 1/2"	1/4"	3026
3027	1/2"-19/32"	1/4"-5/16"	5/16"		6 1/4"	9/32"	3027
3030	9/16"-5/8"		3/8"-7/16"	5/16"-3/8"	6 1/4"	9/32"	3030
3031	5/8"-3/4"		7/16"-1/2"	3/8"-7/16"	8"	5/16"	3031
3032	19/32"-25/32"	5/16"-7/16"			8"	5/16"	3032
3034	5/8"-11/16"	3/8"	7/16"	3/8"	8"	5/16"	3034
3035	11/16"-3/4"	3/8"	1/2"	7/16"	8"	5/16"	3035
3036	11/16"-7/8"	3/8"-1/2"	9/16"	9/16"	9 1/8"	11/32"	3036
3037	11/16"-25/32"	3/8"-7/16"			8"	5/16"	3037
3039	3/4"-7/8"	1/2"	1/2"-9/16"	7/16"-9/16"	9 1/8"	11/32"	3039
3040	13/16"-7/8"	1/2"	9/16"	1/2"-9/16"	9 1/8"	11/32"	3040
3041	7/8"-1 1/16"	1/2"-5/8"	9/16"-3/4"	9/16"	11 3/4"	5/16"	3041
3045	15/16"-1"		5/8"-11/16"	5/8"	10 5/16"	3/8"	3045
3047	15/16"-1 1/16"	5/8"	5/8"-3/4"	5/8"	11 3/4"	13/32"	3047
3050	1 1/16"-1 1/8"	5/8"	3/4"	3/4"	11 3/4"	13/32"	3050
3051	1 1/16"-1 1/4"	5/8"-3/4"	3/4"-7/8"		12 5/8"	1/2"	3051
3055	1 1/4"-1 5/16"	3/4"	7/8"	7/8"	15 1/2"	9/16"	3055
3060	1 3/8"-1 7/16"	7/8"	1"		15 1/2"	9/16"	3060
3061	1 1/4"-1 7/16"	3/4"-7/8"	7/8"-1"		15 1/2"	9/16"	3061
3062	1 3/8" x 1 1/2"			1"			3062
3065	1 7/16" x 1 5/8"	7/8"-1"	1"-1 1/8"		17"	5/8"	3065
3070	1 1/2" x 1 5/8"	1"	1 1/8"	1"			3070

THE PLOMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

Cannot be shipped complete from factory but can be assembled by distributor.

Open-End Wrench Set No. 3000-B

Six wrenches and every one a popular item — the best assortment of opening sizes for everyday use. Sizes and contents of this set are listed below:

Tool No.	Opening Sizes	Length
3020	5/16" x 3/8"	4"
3025	7/16" x 1/2"	5"
3030	9/16" x 5/8"	6¼"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
2405	Leatherette Kit. Wt., 2½ lbs.	



Open-End Wrench Set No. 3000-M

Here's a set selected to give you 10 Open-End Wrenches in a kit and with only one duplication of opening sizes.

Tool No.	Opening Sizes	Length
3018	1/4" x 5/16"	3½"
3021	3/8" x 7/16"	4½"
3026	1/2" x 9/16"	5½"
3031	5/8" x 3/4"	8"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
3050	1 1/16" x 1 1/8"	11¾"
3055	1¼" x 1 5/16"	15½"
3060	1⅜" x 1 7/16"	15½"
2413	L'ette Kit. Wt., 8 lbs.	



Open-End Wrench Set No. 3000-H

10 Open-End Wrenches — selected sizes.

Tool No.	Opening Sizes	Length
3018	1/4" x 5/16"	3½"
3020	5/16" x 3/8"	4"
3025	7/16" x 1/2"	5"
3026	1/2" x 9/16"	5½"
3030	9/16" x 5/8"	6¼"
3031	5/8" x 3/4"	8"
3035	11/16" x 3/4"	8"
3040	13/16" x 7/8"	9⅛"
3045	15/16" x 1"	10 5/16"
3050	1 1/16" x 1 1/8"	11¾"
2406	Leatherette Kit. Wt., 4 lbs.	



PLOMB Streamlined Tools



No. 4515

No. 4532

PLOMB STUD PULLERS

New Detachable Wedge Type

Latest development in stud pullers. No. 4515 for 1/4" to 5/8" studs; No. 4532 for studs from 5/8" to 1" turns in a smaller circle and will work much closer to obstructions.

Set-screw in side of stud puller prevents loss by keeping wedges in body when not in use.

No. 4515 is 1-3/16" in diameter, 3½" long and has ½" square service connection.

No. 4532 is 2⅛" in diameter, 5½" long, and has ¾" square service connection.

Both sizes will take the longest studs.

Standard 1/2" Square Drive

No.	Description	Wt. lbs.
4515	Stud Puller Complete with 4516 and 4517 Wedges; Capacity, ¼" to 5/8" Studs	1¼
4516	Thick Wedge, Capacity ¼" to 7/16"	
4517	Thin Wedge, Capacity ½" to 5/8"	

Heavy Duty 3/4" Square Drive

4532	Heavy Duty Stud Puller, with 4533 and 4534 Wedges; Capacity 5/8" to 1" Studs	4½
4533	Thick Wedge, Capacity 5/8" to ¾"	
4534	Thin Wedge, Capacity ¾" to 1"	

Eccentric Type Stud Pullers 1/2" Square Drive



*TEMPORARILY DISCONTINUED

One of the best of this type. Knurled nut jams on stud when turned. ½" square drive in end, or open-end wrench can be used on body.

No.	Fits Studs	Use Wrench	With Roller	Wt. lbs.
4508	3/8" to ½"	1"	No. 4511	¾

ADJUSTABLE WRENCHES



Thin, light and strong, 22½° angle openings. Deep-throated openings equally efficient on square or hexagon nuts and bolts.

Cat. No.	Length	Jaws Open Up to
704	4"	5/8"
706	6"	¾"
708	8"	15/16"
710	10"	1⅛"
712	12"	1 7/16"

The kind of tools you use typifies the kind of work you do. Better tools build greater customer confidence.

THE PLOMB LINE IS THE SAFE LINE FOR ALL MECHANICS

Obstruction Box Wrenches

For turning nuts where obstructions prevent easy access with straight wrenches. 1" clearance at middle. 12-point openings.

No.	12-point Openings	Overall Length	Wt.
1725	7/16" x 1/2"	5 3/4"	3 oz.
1730	9/16" x 5/8"	6 1/2"	4 oz.

Plomb Tappet Wrenches

Note arrangement of openings—just right for easy working, yet six wrenches are equal to much larger sets of other makes.

No.	Openings	Overall Length	Head Thickness	S. A. E.
3425	7/16"-1/2"	9"	3/16"	1/4" x 5/16"
3426	1/2"-9/16"	9"	3/16"	5/16" x 3/8"
3430	9/16"- 5/8"	9"	3/16"	3/8" x 7/16"
* 3431	17/32"-5/8"	9"	3/16"	—x 7/16"
3435	11/16"-3/4"	9"	7/32"	—x 1/2"
3440	13/16"-7/8"	9"	15/64"	—x 9/16"



Screw Extractors

No.	Size of Small End	Size of Shank	Overall Length	U.S.S. Screw Size	Drill Size	Min. Depth of Hole	Pipe Size
*9521	1/8"	3/16"	2 5/16"	(1/4" (5/16"	1/8"	3/8"	-----
*9522	11/64"	3/16"	2 5/8"	3/8"	3/16"	1/2"	-----
†**9523	7/32"	1/4"	2 7/8"	7/16"	15/64"	1/2"	1/8"
*9524	19/64"	5/16"	3"	1/2"	5/16"	1/2"	1/4"
*9525	11/32"	3/8"	3 1/4"	(9/16" (5/8"	13/32"	9/16"	3/8"

†For broken Alemite fittings. *Non Replaceable.

* ~~No. 9500A—Nos. 9521 to 9525, inclusive, 5 extractors in wooden slide cover box. Weight 1/2 lb.~~

**Temporarily discontinued



For Pipe and Fittings

9526	1/2"	1/2"	4 1/2"	3/4"	9/16"	1 1/16"	1/2"
9527	19/32"	5/8"	5"	7/8"	5/8"	1 1/16"	1/2"
9528	23/32"	3/4"	5 1/2"	{ 1" 1 1/8" 1 1/4"	3/4"	7/8"	3/4"
9529	31/32"	1"	5 1/2"	{ 1 3/8" 1 1/2"	1"	3/4"	1"



PLOMB Streamlined Tools



2317



Showing the Plomb Piston Ring Compressor in action

Extra Bands are available in 3 sizes, interchangeable with No. 2317 frame.

A NEW TYPE RING COMPRESSOR

New in design. Easy—fast to operate. Work on proven geometric action cannot cause "out of roundness." No. 2317 fits passenger cars. Extra bands available for busses and trucks, also diesels.

* **No. 2317** for Passenger Cars, Capacity 2½ to 3⅞ in.
* **No. 2317B** Extra Band for No. 2317.
* **No. 2318** for Regular Trucks, Capacity 3⅞ to 5 in.
* **No. 2318B** Extra Band for No. 2318.
* **No. 2319** for Large Trucks and Diesels, Capacity 5 to 6 in.
* **No. 2319B** Extra Band for No. 2319.



2308





REDUCE OR BEVEL LANDS WITH YOUR No. 2308 BY ORDERING PART No. 2308-C YOU CAN THEN CHAMFER OR REDUCE LANDS

Self-Adjusting Ring Groove Tool No. 2308

No. 2308 Plomb Self-adjusting Ring Groove Tool. Cutters of milled and tempered tool steel will clean the carbon easier and quicker than any other tool on the market. Takes pistons from 2½" to 4½". No. 2308B Extra Cutter only.



2311

* Adjustable Ring Groove Cleaners

TEMPORARILY DISCONTINUED

No. 2311—Cleans 3/32", ⅛", 5/32" and 3/16" grooves with single tool. 4-way cutter is finest alloy steel. Can be resharpened with file. Complete with cutter. No. 2312—Extra Cutter.



2335

Valve Guide Cleaners

No. 2335—An inexpensive new valve guide cleaner that is adjustable, by simply turning nut, to all sizes of valve guides. Length, 9¾".



2337

Flexible Carbon Scrapers

No. 2337—The 10 flexible blades of round spring steel. Sliding band regulates flexibility of edge. 1" wide, 9" overall length.

2336

Gasket Scrapers

No. 2336—Has many uses, such as scraping carbon, cutting wood, removing shellacked gaskets. Blade 1½" wide; overall length, 11⅛".

*Temporarily discontinued

ENGINE TOOLS



6523

6539





5421

5444



1730

5438-5538

VALVE ADJUSTER 6734

Use No. 6734 for speed, care and accuracy when adjusting overhead valves. Use any standard socket. Loosen lock nut first, then operate driver for adjustment, setting valve clearance with Plomb Feeler Gauges.

NO.	DESCRIPTION
6523	**V8 CON. ROD NUT SOCKET** — This 9/16" hexagon thin-nose socket is absolutely essential when working on V8 con. rods. 1/2" square drive. Non-Replaceable.
6539	**V8-85 VALVE LIFTER** — Powerful, simple, with long leverage to break loose the toughest guides. Push guide down to remove keeper, then pry, with opposite block as fulcrum, to force guide out. 30" long, 3/4" stock. Non-Replaceable.
6528	**CARBURETOR JET WRENCH**—For nearly all types of Stromberg carburetors. Turns easily with cross pin and knurled shank.
5421	**STANDARD SOCKET 1/2" SQUARE DRIVE** — Opening Size, 21/32; Overall Length, 1 3/8; Inside Clearance, 3/4.
5444	**DRAG LINK SCREWDRIVER** — Many uses especially on any large slotted screws and used with most 1/2" drive attachments. Non-Replaceable. Bit 3/4" Wide, Length 1 9/16".
1730	**OBSTRUCTION BOX WRENCH** — For turning nuts where obstructions prevent easy access with straight wrenches. 1" clearance at middle. 12-point openings. 9/16" x 5/8". Overall Length, 6 1/2". Weight, 4 oz.
5438 5538	**HEAVY DUTY 3/4" SQUARE DRIVE SOCKETS** 5438—1 3/16", 12-point. 5538—1 3/16", 12-point. Overall Length, 2 5/16". Inside Clearance, 1 9/16".

PLOMB Streamlined Tools

Feeler Gauges - Accurately Ground, Correctly Heat Treated

Standard Thickness Gauges



No. 000A—Set of the following 9 gauges, one each: Nos. 003, 004, 005, 006, 008, 010, 012, 015 and 018, in No. 000C Holder.

No. 000C—Holder only, without blades.

No.	Blade Thickness	Width Blade	Length Blade
0015	.0015″	½″	3¼″
003	.003″	½″	3¼″
004	.004″	½″	3¼″
005	.005″	½″	3¼″
006	.006″	½″	3¼″
007	.007″	½″	3¼″
008	.008″	½″	3¼″
009	.009″	½″	3¼″
010	.010″	½″	3¼″
011	.011″	½″	3¼″
012	.012″	½″	3¼″
013	.013″	½″	3¼″
014	.014″	½″	3¼″
015	.015″	½″	3¼″
016	.016″	½″	3¼″
018	.018″	½″	3¼″
020	.020″	½″	3¼″
022	.022″	½″	3¼″
025	.025″	½″	3¼″
030	.030″	½″	3¼″
032	.032″	½″	3¼″
035	.035″	½″	3¼″
040	.040″	½″	3¼″

Step-Cut Feeler Gauges

Each Blade has two different thicknesses, carefully ground and exactly true. A quality far superior to those usually offered to the trade; heat-treated to remain true after long use.

No.	Thicknesses	Width Blade	Length Blade
004/6	.004″—.006″	½″	3¼″
005/7	.005″—.007″	½″	3¼″
006/8	.006″—.008″	½″	3¼″
007/9	.007″—.009″	½″	3¼″
008/10	.008″—.010″	½″	3¼″
009/11	.009″—.011″	½″	3¼″
010/12	.010″—.012″	½″	3¼″
011/13	.011″—.013″	½″	3¼″

No. 000B—Set of 4 Step-Cut Gauges: Nos. 004/6, 006/8, 008/10, 010/12, with No. 000C Holder.

No. 000C—Holder only.

No. 000E—Brake Gauge Set



(Blades not sold separately)

Consists of 9 blades, 3/16″ wide by 4″ long, of the following thicknesses: .006″, .008″, .010″, .012″, .014″, .016″, .018″, .020″ and .025″.



Feeler Gauges in 12" Strips

No.	Blade Thickness	Width Blade	Length Strip
0015L	0015″	½	12″
002L	002″	½	12″
003L	003″	½	12″
004L	004″	½	12″
005L	005″	½	12″
006L	006″	½	12″
008L	008″	½	12″
010L	010″	½	12″
012L	012″	½	12″
013L	013″	½	12″
015L	015″	½	12″
018L	018″	½	12″

Packed 6 Strips of a Size in Envelope.



No. 000D—Ignition Gauge Set

This set consists of 10 blades, 3/16″ wide by 1½″ long, in Holder. Thicknesses as follows: .011″, .012″, 014″, .018″, .020″, .022″, .025″, .028″, .032″, and .035″. Complete in Holder. (Blades not sold separately)

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION



TYPE OF FILE	Cat. No.	Length	Wt. Lbs. per Doz.
EXTRA SLIM TAPER	EST-6	6″	¾
SLIM TAPER	ST-6	6″	1¼
ROUND BASTARD	RB-6	6″	¾
	RB-8	8″	1¾
	RB-10	10″	3½
	RB-12	12″	7½
SQUARE BASTARD	SB-6	6″	1
	SB-8	8″	2¾
	SB-10	10″	4
	SB-12	12″	9
TUNGSTEN POINT	TPC-5	5″	½

Handle bent over making handy pocket clip. Useful for filing spark plug points, distributor points, contact points, magnetos, etc. 12 on display card.

TYPE OF FILE	Cat. No.	Length	Wt. Lbs. per Doz.
FLAT BASTARD	FB-8	8″	4
	FB-10	10″	7
	FB-12	12″	13
	FB-14	14″	19
MILL BASTARD	MB-6	6″	1½
	MB-8	8″	4
	MB-10	10″	6
	MB-12	12″	12
	MB-14	14″	14
HALF ROUND BASTARD	HRB-6	6	½
	HRB-8	8″	4
	HRB-10	10″	6
	HRB-12	12″	12
	HRB-14	14″	14
FILE HANDLES	FH-2	Fits Files 6″ to 8″	½
Finest Baswood, polished metal ferrule.	FH-3	Fits Files 8″ to 10″	½
	FH-4	Fits Files 10″ to 14″	¾

Plomb Files are of the highest quality. Files up to 10″ lengths packed 12 per pkg. Longer, 6 per pkg.





Conventional Type Garage Bars

No.	Octagon Stock	Length	Weight
2116	½″	16″	¾ lb.
2120	⅝″	18″	1½ lbs.
2124	¾″	24″	2¾ lbs.

Rolling Head Bars

New type Gear Bar, with 90° rolling head, is especially valuable for getting into close places behind gears, etc.

No.	Octagon Stock	Length	Weight
2126	½″	16″	¾ lbs.
2130	⅝″	18″	1½ lbs.

No. 8—Ripping or Wrecking Bars

No.	Stock	Length	Wt. lbs.
* 8	⅝″	18″	1¾
* 8	⅝″	21″	2
* 8	¾″	24″	3½
* 8	¾″	30″	4¼
* 8	⅞″	30″	5¾

*Temporarily discontinued

No. 2110—Grease Bar

Wrench like opening offset to clear obstructions and with coarse teeth to prevent slipping. 28″ long. Weight 3¾ lbs.

PLOMB Streamlined Tools

PLOMB PLIERS



206



207



209



215

218



256





226

NO. 206—6″ DIAGONAL CUTTING PLIER

Handhoned cutting edges, perfectly matched. Designed with thin, narrow jaws that will work easily in congested places. Plomb "Name-Nurl" handles assure firm grip.

NO. 207—7″ DIAGONAL CUTTING PLIER

A well-balanced, ruggedly constructed cutter for heavy service. Cutting edges hand-honed to perfect match. Form-fitting "Name-Nurl" handles provide slip-proof grip.

NO. 209 HEAVY DUTY DIAGONAL PLIER

A real giant for easy cutting. You will like the short powerful jaws and ample cutting leverage. A real plier for heavy work. 9″ long.

NO. 215—BRAKE SPRING PLIER

Curved jaw clears edge of brake shoe to bring it in close adjustment with center line of spring. Hook jaw is thin to easily enter under spring. Parts for 215, bolt and nut No. 215B, curved jaw No. 215C, hook jaw No. 215H.

NO. 218—ANGLENOSE BATTERY PLIER

Thin jaws at correct working angle for battery terminal nuts. Plomb "Name-Nurl" handles for positive grip.

NO. 256—6″ SLIP JOINT PLIER

A well made pocket plier of conventional design bearing the Plomb name of quality but at a price so low it has no equal or rival on the market.

NO. 226—6″ NEEDLE NOSE SIDE CUTTING PLIER

The needle nose with side cutter makes an ideal combination for electrical work. The cutting edges are hand-honed, the grips are the famous Plomb "Name-Nurl."

NO. 227—7½" DUCK BILL PLIER

A very useful plier built for long powerful leverage with Plomb "Name-Nurl" handle grips. A general plier for radio, carburetor, electrical typewriter and adding machine work.



No. 227

NO. 228—7½" CHAIN NOSE PLIER

A variation of the No. 227 type, length and handles the same, but with narrow nose.



No. 228

NO. 235—SLIP JOINT IGNITION PLIER

Light and convenient to use. Three position slip joint allows parallel openings up to ⅜". Length 4½". Bolt and nut only, No. 235B.



No. 235

NO. 236—6"; No. 238—8" WRENCH PLIERS

* TEMPORARILY DISCONTINUED

General utility pliers of popular usage. Jaws open up ⅞ and 1⅛ inches. on the 6 and 8 inch respectively. 236B extra bolt and nut, 238B extra bolt and nut.



* No. 236 and No. 238

NO. 240—WATER PUMP PLIER

8 position joint allows parallel openings up to 1⅝ inches. Handles are form-fitting with Plomb "Name-Nurl" grips. Length 9½ inches. No. 240B, bolt and nut only for No. 240 pliers.



No. 240

NO. 245—5" SLIP JOINT SIDE CUTTING PLIER

* TEMPORARILY DISCONTINUED

The slender, tapering jaws with two position adjustment make these pliers convenient and efficient. Plomb "Name-Nurl" grips.



* No. 245

NO. 247—7" SLIP JOINT SIDE CUTTING PLIER

Has slender jaws with two position adjustment. Jaws are deeply cross-broached for positive gripping. Handles with well-known Plomb "Name-Nurl" grip.



No. 247

PLOMB Streamlined Tools

WORLD'S FINEST SCREW DRIVERS



A If you're looking for a screw driver with the latest indestructible, transparent plastic handle, stop right now. Here is one with a round blade for easy spinning. The Handle is 4 fluted design. Just try your grip on this and feel the difference.

B You want a screw driver that can take it and here it is. Blades forged from finest Alloy Steel. The wood handles octagon shape for firm gripping. Blades fully heat-treated and cap anchored to blade which passes through Handle.

C A companion to the Round Blade at a price that will astound you. It has the 4 fluted Handle which is a non-conductor of electricity. The full heat-treated blade will give you perfect satisfaction under the hardest of use.

A PLASTIC HANDLE - - - ROUND BLADE

No.	Length Blade	Overall Length	Diam. Shank	Width Bit
†9604	4″	8″	1/4″	1/4″
†9606	6″	10½″	5/16″	5/16″
†9608	8″	13″	3/8″	13/32″
9622	2½″	5¼″	1/8″	1/8″
9624	4½″	7¼″	1/8″	1/8″
9632	4″	7½″	3/16″	3/16″
9633	7½″	11″	3/16″	3/16″
9638	13½″	17″	3/16″	3/16″
9642	9″	13″	1/4″	1/4″
9643	10″	14½″	5/16″	5/16″
*9651	1″	2⅞″	3/16″ Sq.	1/4″
*9652	1½″	3⅞″	1/4″ Sq.	9/32″

* Illustrated on following page. † Has Hex. Ferrule.

Buy Tools in Sets as Listed in This Catalogue

THE PLOMB LINE IS THE FULL LINE OF QUALITY TOOLS

B WOOD HANDLE - - - SCREW DRIVER

No.	Overall Length	Blade Length	Shank Size	Bit Width
General Purpose Type—Blade Through Handle				
9701	4¼″	1½″	3/16″	3/16″
9702	6⅝″	2½″	3/16″	7/32″
9704	9″	4″	¼″	9/32″
9706	12⅛″	6″	5/16″	11/32″
9708	14⅜″	8″	⅜″	7/16″
9710	16¾″	10″	⅜″	7/16″
9712	18¾″	12″	⅜″	7/16″
9714	22¾″	14″	7/16″	9/16″

No.	Overall Length	Blade Length	Shank Size	Bit Width
Electrical Type—No Metal Cap				
9722	5¼″	2½″	⅛″	⅛″
9724	7¼″	4½″	⅛″	⅛″
9732	8 1/16″	4″	3/16″	3/16″
9733	12 ⅜″	7½″	3/16″	3/16″
Cabinet Type—Long Slim Blade Through Handle				
9741	13⅛″	9″	3/16″	7/32″
9742	14½″	9½″	¼″	9/32″
9743	16⅛″	10″	5/16″	11/32″

C PLASTIC HANDLE - - - SQUARE BLADE

Cat. No.	Length Blade	Overall Length	Shank Size	Bit Width
9804	4″	8″	1/4″ sq.	9/32″
9806	6″	10½″	5/16″ “	11/32″
9808	8″	13″	3/8″ “	7/16″
9822	2½″	5¼″	1/8″ “	1/8″
9832	4″	7½″	3/16″ “	3/16″
9833	7½″	11″	3/16″ “	3/16″
9842	9″	13″	1/4″ “	9/32″
9843	10″	14½″	5/16″ “	11/32″

Screwdriver sets, see following pages

Short Screw Drivers

No. 9651

Blade 1″ long, ¼″ bit; 2⅞″ overall length. Moulded plastic handle.

No. 9652

1½″ blade, 9/32″ bit, 3⅞″ overall length. Moulded plastic handle.

No. 100—Key Ring Screw Driver

Hand-forged, individually heat-treated. 2¼″ long.

No. 9752 Wood Handle

Blade 1¾″ long, with handle 4¼″ long, 1-3/16″ octagon. 5/16″ square shank, with 11/32″ bit.



PLOMB Streamlined Tools

4 Screw Drivers
Handle All Phillips Screws

The four sizes of Plomb Phillips screw drivers listed below drive the entire range of screw and bolt sizes. With slotted screws, at least seven or eight drivers are required. Come either with Moulded Plastic or Wood Handles.

	Cat No.	Phillips No.	Diam. Stock	Blade Length	Overall Length		Overall Length	Cat. No.
Plastic Handle	9682	1-A	3/16"	3"	6½"	Wood Handle	6¼"	9782
	9684	2-A	¼"	4"	8"		8⅞"	9784
	9686	3-A	5/16"	6"	10½"		12"	9786
	9688	4-A	⅜"	8"	13"		14½"	9788

Offset Screw Drivers

For drag link adjustments, brake work, and work in close places. Bits at right angles to each other.

No. 35¼	¼" Oct. Stock	3" long
No. 36¼	¼" Oct. Stock	4¾" long
No. 36 5/16	5/16" Oct. Stock	5" long
No. 36⅜	⅜" Oct. Stock	6⅛" long
* ~~No. 36½~~	½" Oct. Stock	7" long

Detachable Phillips Bits with 3-8" Drive

*5241—For No. 2 Phillips screws
*5242—For No. 3 " "
*5243—For No. 4 " "

*Not Replaceable

*Temporarily discontinued

Stub Phillips Screw Drivers

No. 9671—Moulded—Plastic Handle, overall length 2 7/16", with No. 2 Phillips Point.



Set No. 9780-A

4 sizes of Phillips Screwdrivers with wood handles. Wt. 1½ lbs.

9782	9786	2405
9784	9788	Kit

Set No. 9700-A

Set of 7 popular screwdrivers including stubby, long thin blade and heavy duty types--wood handles and metal caps. Wt. 3½ lbs.

9701	9704	9708	9741
9702	9706	9710	2406 (Kit)



Sets cannot be shipped complete from factory but can be assembled by distributor.

PLASTIC HANDLE SCREWDRIVER SETS

Not shipped complete from factory but can be assembled by distributor.

A screwdriver is used practically every day. Well selected sets like those illustrated here, require only a small investment and will save you time and money.



← Set No. 9600-E

You never have to borrow a screwdriver when you become the owner of this master assortment, each with the new Plastic Handles. Wt., 2 lbs. Contents follow:

9604	9622	9633	9643	2406 Kit
9606	9632	9642	9652	

Set No. 9680-A →

With new plastic handles, here is the Phillips type set of screwdrivers for you. 4 assorted sizes in a handy leatherette kit. Note contents below. Wt. 1¼ lbs.

9682	9686	2405 Kit
9684	9688	



← Set No. 9800-D

You may be looking for a small set of all purpose screwdrivers and these four very popular ones will answer most of your requirements. All with the new plastic handles and in a leatherette kit. Wt. 14 oz.

9804	9832	2405 Kit
9822	9842	

PLOMB Streamlined Tools

Punches, Chisels and Offset Screw Drivers

Tool Number	DESCRIPTION	Stock in Inches	Length in Inches	Cut	Point or Bit
* 15-½	Aligning Punches	½ Ro.	11		⅛"
15-⅝	" "	⅝ Oct.	16		3/16"
* 30-7/16	Rivet Cutters	7/16 "	15	½"	
* 30-⅝	" "	⅝ "	8	¾"	
30-¾	" "	¾ "	12	⅞"	
* 30-⅞	" "	⅞ "	12	1"	
35-¼	Offset Sc. Drivers	¼ "	3		¼"
36-¼	" " "	¼ "	4¾		¼"
36-5/16	" " "	5/16 "	5		5/16"
36-⅜	" " "	⅜ "	6⅛		⅜"
* 36-½	" " "	½ "	7		½"
41-¼	Center Punches	¼ "	4¼		
41-5/16	" "	5/16 "	4⅝		
41-⅜	" "	⅜ "	4⅞		
41-7/16	" "	7/16 "	5¼		
41-½	" "	½ "	5⅝		
41-⅝	" "	⅝ "	6		
44-¼	Prick Punches	¼ "	4¾		
* 44-5/16	" "	5/16 "	5		
44-⅜	" "	⅜ "	5¼		
47-¼x1/16	Riv't or Pin Pnch.	¼ "	4⅜		3/64"
47-¼x3/32	" " " "	¼ "	4¾		3/32"
47-5/16x⅛	Riv't or Pin Pnch.	5/16 "	5¼		⅛"
47-5/16x5/32	" " " "	5/16 "	5⅝		5/32"
47-⅜	" " " "	⅜ "	6⅛		3/16"
47-7/16	" " " "	7/16 "	6⅝		7/32"
* 47-½x3/16	" " " "	½ "	6⅝		3/16"
47-½x¼	" " " "	½ "	7		¼"
* 47-⅝	" " " "	⅝ "	7½		5/16"
50-3/16	Starting Punches	3/16 "	4¼		1/16"
50-¼	" "	¼ "	4⅝		3/32"
50-5/16	" "	5/16 "	5⅛		⅛"
50-⅜	" "	⅜ "	5⅝		3/16"
50-7/16	" "	7/16 "	6		7/32"
50-½	" "	½ "	6½		¼"
* 50-⅝	" "	⅝ "	7		5/16"
* 50-¾	" "	¾ "	7½		⅜"
72-¼	Cape Chisels	¼ "	4½	5/32"	
72-5/16	" "	5/16 "	5	3/16"	
72-⅜	" "	⅜ "	5½	¼"	
72-½	" "	½ "	6	5/16"	
72-⅝	" "	⅝ "	6½	⅜"	
* 72-¾	" "	¾ "	7	½"	
76-¼	Diamond Chisels	¼ "	4½	5/32"	
76-5/16	" "	5/16 "	5	3/16"	
76-⅜	" "	⅜ "	5½	¼"	
76-½	" "	½ "	6	5/16"	
76-⅝	" "	⅝ "	6½	⅜"	
* 76-¾	" "	¾ "	7	½"	
80-¼	Ro. Nose Chisels	¼ "	4½	5/32"	
80-5/16	" " "	5/16 "	5	3/16"	
80-⅜	" " "	⅜ "	5½	¼"	
* 80-½	" " "	½ "	6	5/16"	
80-⅝	" " "	⅝ "	6½	⅜"	
* 80-¾	" " "	¾ "	7	½"	

*Temporarily discontinued



Sets cannot be shipped complete from factory but can be assembled by Distributor.



No. 96 — LONG TAPER DRIFT PUNCHES

Cat. No.	Stock	Length	Point
96-1/4	1/4"	10"	3/32"
96-5/16	5/16"	10"	1/8"
96-3/8	3/8"	10"	3/16"
96-7/16	7/16"	10"	7/32"
96-1/2	1/2"	10"	1/4"
96-5/8	5/8"	10"	5/16"
96-3/4	3/4"	10"	3/8"

Set **No. 96A** pictured at right consists of the first six sizes listed in handy leatherette kit No. 2404.



Set **No. 96A**



Special Cold Chisels

Forged from selected steels best adaptable for chisels. You will find their cutting edges are correctly beveled. To obtain best results, Plomb Chisels should be used at a 45° angle and the cutting edge held tight up against the work. Cut with the entire blade,—don't use the corners.

Set **No. 86AA** is a selection of 7 popular sizes in No. 2404 Leatherette Kit. Nos. 86A1/4, 5/16, 3/8, 7/16, 1/2, 5/8 and 3/4x7 1/2.

Cat. No.	Stock	Cut	Length
86A3/16	3/16"	1/4"	4 1/4"
86A1/4	1/4"	5/16"	4 1/2"
86A5/16	5/16"	3/8"	5"
86A3/8	3/8"	7/16"	5 1/2"
86A7/16	7/16"	1/2"	6"
86A1/2	1/2"	5/8"	6 1/2"
86A5/8x7"	5/8"	3/4"	7"
86A3/4x7 1/2"	3/4"	7/8"	7 1/2"
86A3/4x12"	3/4"	7/8"	12"
86A7/8x8"	7/8"	1"	8"
86A7/8x12"	7/8"	1"	12"
86A 1"x8"	1"	1 3/16"	8"
*86A 1"x12"	1"	1 3/16"	12"

*Temporarily discontinued

Additional Sets on Next Page

PLOMB Streamlined Tools



No. 47A—Rivet or Pin Punch Set

Composed of No. 47 punches in 1/4"x1/16", 1/4"x3/32", 5/16"x1/8", 5/16"x5/32", 3/8", 7/16", and 1/2"x1/4" sizes, and Leatherette Kit No. 2403. Shipping weight, 1 lb.

No. 50A—Starting Punch Set

Own this set and you can finish everything you start—when it comes to using a starting punch. Made up of No. 50 punches in 3/16", 1/4", 5/16", 3/8", 7/16" and 1/2" sizes, and Leatherette Kit No. 2403. Shipping weight, 1 lb.



Popular Punch and Chisel Sets

Cannot be shipped complete from factory but can be assembled by distributor.

No. 1 Punch and Chisel Set



Specifications—No. 1

41	5/16	Center Punch
41	7/16	" "
44	1/4	Prick "
47	1/4x3/32	Rivet "
47	5/16x1/8	" "
47	5/16x5/32	" "
47	3/8	" "
47	7/16	" "
50	3/16	Starting Punch
50	1/4	" "
50	5/16	" "
50	3/8	" "
50	7/16	" "
72	1/4	Cape Chisel
72	5/16	" "
72	3/8	" "
76	1/4	Dia. Pt. Chisel
76	5/16	" " "
76	3/8	" " "
86A	1/4	Cold Chisel
86A	5/16	" "
86A	3/8	" "
86A	7/16	" "
86A	1/2	" "
2401		Leatherette Roll

Total 25 Items; Ship. Wt., 3 1/4 lbs.

No. 2 Punch and Chisel Set



Specifications—No. 2

41	3/8	Center Punch
47	1/4x3/32	Rivet Punch
47	5/16x1/8	" "
47	3/8	" "
50	3/16	Starting Punch
50	5/16	" "
50	3/8	" "
72	5/16	Cape Chisel
76	5/16	Dia. Pt. Chisel
86A	1/4	Cold Chisel
86A	3/8	" "
86A	7/16	" "
2402		Leatherette Roll

Total 13 Items; Ship. Wt., 1 3/4 lbs.

PLUMBING TOOLS



NO. 13—PLOMB STAR DRILLS

Forged star drills are made from fatigue- and shock-resisting alloy steel. Wings have proper filet and taper for maximum strength, long enough to permit sharpening. They center easily.

NO.	STOCK	CUT	12" LONG
13	1/4"	1/4"	X
13	1/4"	5/16"	X
13	5/16"	3/8"	X
*13	3/8"	7/16"	X
13	3/8"	1/2"	X
13	7/16"	5/8"	X
13	1/2"	3/4"	X
13	5/8"	7/8"	X
13	3/4"	1"	X
*13	7/8"	1-1/8"	X
*13	7/8"	1-1/4"	X
*13	7/8"	1-1/2"	X

NO. 84—CONCRETE GADS

Will not wedge in. Heat-treated to withstand an enormous amount of pounding through concrete.

NO.	STOCK	CUT	LENGTH
84	3/4"	.....	12"
84	7/8"	.....	12"
84	1"	.....	12"
*84	1-1/4"	.....	12"

NO. 38—SCREW DRIVER BITS

Square taper hand-forged to fit standard bit brace chuck.

NO.	STOCK	CUT	LENGTH
*38	9/32"	1/4" Bit	4-1/2"
*38	5/16"	5/16" Bit	4-1/2"
*38	11/32"	3/8" Bit	4-1/2"
*38	3/8"	1/2" Bit	4-1/2"

NO. 4—PLUGGING CHISELS

NO.	STOCK	BLADE	LENGTH	WT.
*4	5/8"	1/4" Cut	10"	10 oz.

NO. 5—FLOOR OR WOOD CHISELS

These all-steel wood chisels stand up under cutting conditions that wreck ordinary carpenters' wood chisels.

NO.	STOCK	WIDTH OF CUT	BLADE LENGTH	OVERALL LENGTH
5-7/16	7/16"	5/8"	4-1/4"	10"
* 5-1/2	1/2"	3/4"	4-3/8"	10"
5-5/8	5/8"	1"	4"	10"
5-3/4	3/4"	1-3/16"	4-1/8"	10"

PACKING HOOKS

* No. 2370—Length 8", 90° hook.
* No. 2371—1/4" stock, 10" long, curved.
* No. 2372—5/16" stock, 11-1/4" long, curved.

SCRATCH AWLS

NO.	SIZE	STOCK	LENGTH	WT. DOZ.
* 18	5/16"	Square	7"	2-1/8 lbs.
* 19	3/16"	Oct.	7"	3/4 lbs.

NO. 139—SPUD WRENCHES

Forged from spring steel. Not heat-treated, so jaws can be hammered closer together or spread if necessary. Far superior to the cheap, heavy cast wrenches. For use on 1-1/2" or 2" spuds. Wt. 1 lb. each.

* No. 139—2"x2-1/2" openings; 11-1/2" long.

NO. 37—SOIL PIPE CHISELS

In great demand for the difficult job of cutting soil pipe. Rounded edge gives maximum cutting surface at point of contact, regardless of chisel angle. Cuts pipe quicker and easier than a regular cold chisel.

NO.	STOCK	CUT	LENGTH	WT.
37	1/2"	5/8" Cut	5 1/2"	5 oz.
37	5/8"	3/4" Cut	6"	8 oz.
37	3/4"	7/8" Cut	6 1/2"	12 oz.
* 37	7/8"	1" Cut	7"	16 oz.

LEAD-PICKING TOOLS

New and modern in design that gives them a wide preference over similar types now on the market.

NO.	STOCK	LENGTH	WT.
* 111L	3/4"	8-1/2"	14 oz.
* 111R	3/4"	8-1/2"	14 oz.
* 112	1/2"	9"	7 oz.

*NO. 141—SPUD CHUCKS

A wrench or holder for hollow work such as closet spuds of all sizes, sink and tray strainers, plugs, bath or basin fittings, etc. Expanded full 1/4" by eccentric spindle. Holds positively. Slips into 1", 1-1/8", 1-1/4", 1-1/2" and 2" when closed. Wt. 1-1/2 lbs. each.

NO. 6—SPRING YARNING IRONS

Blade is spring steel and is slightly offset for clearance.

NO.	STOCK	WIDTH	LENGTH	WT.
6	1/2"	5/8"	11-1/2"	1/2 lb.
*6	1/2"	5/8"	18"	3/4 lb.
6	5/8"	3/4"	12"	1/2 lb.
*6	5/8"	3/4"	18"	3/4 lb.
*6	3/4"	7/8"	14"	3/4 lb.

*TEMPORARILY DISCONTINUED

PLUMB

PLUMBING TOOLS

NO. 14—OFFSET YARNING IRONS

NO.	STOCK	WIDTH	LENGTH	WT.
14	1/2"	19/32"	11-1/2"	3/4 lb.
*14	5/8"	11/16"	9"	1/2 lb.
14	5/8"	11/16"	12"	3/4 lb.
*14	5/8"	11/16"	18"	5/8 lb.
14	3/4"	3/4"	14"	3/4 lb.

NO. 135 BENDING IRONS

NO.	STOCK	WIDTH	LENGTH	WT.
* 135-1/2	1/2"	.....	10-5/8"	1/2 lb.
* 135-5/8	5/8"	.....	10-5/8"	3/4 lb.

NO. 20 ELBOW CALKERS

The 45° angle gets into places inaccessible to Nos. 31 and 33 calkers, described below. Ground straight.

NO.	STOCK	BLADE	LENGTH	WT.
*20-1/2	1/2"	11/16" Wide	4-3/4"	5 oz.

NO. 21—PONY CALKERS (PAIR)

21-1/2	1/2"	3/4" Wide	3"	Curved

GASKET CALKERS

* 31-5/8	5/8"	Short	5-5/8"	10 oz.
* 31-3/4	3/4"	Short	7"	10 oz.
131-5/8	5/8"	Long	9-1/2"	12 oz.
131-3/4	3/4"	Long	10"	12 oz.

NO. 033—OFFSET CALKERS (PAIR)

NO.	STOCK	BLADE	LENGTH	WT.
033-1/2	1/2"	3/4" Wide	5-3/4"	13 oz.
033-5/8	5/8"	7/8" Wide	6-1/4"	13 oz.
* 033-3/4	3/4"	1" Wide	7"	14 oz.

NO. 33—LONG CALKERS (PAIR)

Used for calking lead in hub of soil pipe. Ground both inside or outside; concave blades fit 4" pipe.

33-1/2	1/2"	3/4" Wide	5-1/2"	12 oz.
33-5/8	5/8"	7/8" Wide	5-3/4"	12 oz.
* 33-3/4	3/4"	1" Wide	6-3/4"	13 oz.

WATER MAIN CALKERS

Do a good, fast job of calking joints in heavy cast iron water mains. Ground square; handle offset for knuckle clearance.

* 108-5/8	7/8"	5/8"x1"	8"	1 lb.
* 108-1/2	7/8"	1/2"x1"	8"	1 lb.
* 108-3/8	7/8"	3/8"x1"	8"	1 lb.
* 109-1/4	3/4"	1/4"x1"	8"	1 lb.

NO. 130—CEILING CALKERS

* 130	5/8"	.....	10"	1 lb.

NO. 132—RIGHT AND LEFT CALKERS

Calk joints near walls or in corners where Nos. 31 or 33 calkers cannot be used. Made both right and left, ground either inside or outside. Come in pairs.

* 132R	5/8"	.....	8-7/8"	3/4 lb.
* 132L	5/8"	.....	8-7/8"	3/4 lb.

BROAD CURVED NOSE CALKING IRON

NO.	STOCK	WIDTH	THICKNESS	LENGTH
* 110-5/8	5/8"	1-1/2"	1/8"	8-1/2"

TUBING EXPANDERS

NO.	LENGTH	STEPS	EXPANDS PIPE TO	WT.
136	3-1/8"	3	1-1/4", 1-3/8", 1-1/2"	14 oz.

*TEMPORARILY DISCONTINUED



THE PLOMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS

SLIDE HAMMER PULLER SPECIFICATIONS



NO. 4056 — This puller is adapted to a multitude of inside and outside pulling jobs.

JAWS



* **4056L**—4½" inside jaw. Range, 3¼" to 6"

4056J—3½" Reversible Jaw. Pulling Range 0" to 3" Outside, 1¼" to 3¼" Inside.

4066—4½" outside jaw. Range, 3" to 4"

PULLING COMBINATIONS POSSIBLE WITH 4071 3-WAY YOKE



With Jaws **4056J** | With Jaws **4056J** | With Jaws **4056L** | With Jaws **4066**

PULLING COMBINATIONS POSSIBLE WITH ADDITION OF 4061 2-WAY YOKE



With Jaws **4056J** | With Jaws **4056J** | With Jaws **4066** | With Jaws **4056L**

YOKES



4071
3-way



4061—2-way

*Temporarily discontinued

PARTS SPECIFICATIONS — SETS

PART NO.	DESCRIPTION	4056	4056A †	4056B †
4056R	24" T-Handled Rod	1	1	1
4056H	2 1/2 Lb. Sliding Hammer	1	1	1
4056N	Reversible Adjusting Nut	1	1	1
4071	3-Way Yoke	1	1	1
4056PN	Pin	3	3	3
4056J	3 1/2" Reversible Jaw	3	—	3
* **4056L**	4 1/2" Inside Jaw	—	—	—
4066	4 1/2" Outside Jaw	—	3	3
	Shipping Weight in Lbs.	6 1/2	6	7

† ***CANNOT BE SHIPPED COMPLETE FROM FACTORY BUT CAN BE ASSEMBLED BY DISTRIBUTOR.***

PLOMB Streamlined Tools



No. 4060
2-Way Puller
Wt. 2 lbs.

No. 4070
3-Way Puller
Wt. 2½ lbs.

Small Pullers

Fast and Easy to Use on the Little Pulling Jobs

The size and range of both 4060 and 4070 are the same.

Short jaws have range from 0″ to 3″ long jaws from 3″ to 4″. With No. 4056N, nut used on Slide Hammer Puller, short jaws can be reversed and used for inside pulling.



Showing the two-way cross arm No. 4061.

These two small pullers are designed to pull the little gears, pulleys, bearings quickly and easily. The narrow jaws get into very close places. Adjusting nut holds jaws firmly in position so they can't slip off. Any convenient wrench can be used on the ⅝″ square head of screw.

No. 4060--Specifications

*Temporarily discontinued

No.	Description	No. Needed	Set No. 4060A	Set No. ~~4060B~~*	Set No. ~~4060C~~*	Set No. ~~4060D~~*
4061	2½″ Cross Arm	1	1	1	1	1
4022	7″ Screw, 9/16″ sq. head	1	1	1	1	1
4063	Knurled Adjusting Nut, 1¾″ Diam.	1	1	1	1	
4056PN	Pins for Cross Arm	2	2	2	2	2
4056J	3½″ Jaws, 0″ to 1½″ Range	2	2	2		2
4056N	Rev. Adj. Nut					1
4066	4½″ Jaws, 0″ to 3″ Range	2	2		2	2
	Number of Pieces		9 pieces	7 pieces	7 pieces	9 pieces
	Shipping Weight in Pounds		1¾	1¼	1½	2½

No. 4070--Specifications

		No. Needed	Set No. ~~4070A~~*	Set No. ~~4070B~~*	Set No. 4070C	Set No. ~~4070D~~*
4022	7″ Screw, 9/16″ sq. head	1	1	1	1	1
4063	Adjusting Nut, 1¾″ diameter	1	1	1	1	
4056PN	Pins for Yoke	3	3	3	3	3
4056J	3½″ Jaws	3	3	3		3
4056N	Rev. Adj. Nut					1
4066	4½″ Jaws	3	3		3	3
4071	3-Way Yoke	1	1	1	1	1
	Number of Pieces		12 pieces	9 pieces	9 pieces	12 pieces
	Shipping Weight in Pounds		2¼	1½	2	3

Pullers

4020 Sets--Medium Size Puller

Excellent Puller for generators, starting and armature gears, bearings, cones, ball races, etc. Thin hand-forged jaws have enormous strength. Jaws are easily and quickly adjusted. Weight complete with box, 4 lbs.

Illustration No. 4020A

4030 and 4010 Sets--Heavy Duty Puller

A Puller that handles the heaviest work. Pulls generator, starter and pinion gears, ball races, drive shaft bushings, wheels, etc. Weight complete with box, 14 lbs. Box similar to illustration above.



Illustration No. 4010B

PLOMB PULLERS FOR *Industrial* USE



Illustration No. 4030B

*Temporarily discontinued

No. 4020 Parts Specifications Sets

Cat. No.	Part	Inside Length Cross-arm to Hook	~~4020A~~ *	4020B	~~4020C~~ *
4021	7" Cross Arm		1	1	1
4022	7" Screw		1	1	1
4025	4" Jaws	2"	2	2	2
4026	6" Jaws	4"	2	2	2
* ~~4028~~	~~5" Cap Screw Jaws~~	~~3"~~			~~2~~
* ~~4029~~	~~Metal Box $1\frac{1}{2}$x$3\frac{3}{4}$x$\frac{7}{12}$~~		1		~~1~~
	Shipping Weight in lbs.		4	3	$4\frac{1}{2}$

No. 4030 Parts Specifications Sets

Cat. No.	Part No.	Inside Length Cross-arm to Hook	~~4030A~~ *	4030B	~~4010A~~ *	4010B
4011	11" Cross Arm		1	1	1	1
4012	$11\frac{1}{2}$" Screw $\frac{3}{4}$" sq. hd.		1	1	1	1
* ~~4014~~	~~Ex. Long Jaws $16\frac{1}{2}$"~~					
4015	$7\frac{1}{2}$" Jaws	$4\frac{3}{4}$"	2	2	2	2
4016	10" Jaws	7"	2	2	2	2
4017	10" Timing Gear Jaws	7"	2	2		
4018	6" Cap Screw Jaws	3"	2	2		
* ~~4019~~	~~Metal Box $1\frac{3}{4}$x$5\frac{1}{2}$x12~~		1		1	
	Shipping Weight in lbs.		$13\frac{1}{2}$	$12\frac{1}{4}$	$9\frac{3}{4}$	$8\frac{1}{2}$

PLOMB Streamlined Tools

Plomb Universal Wheel Puller

Handles Practically All Types of Wheels with 3, 4, 5, 6 and 7 Studs



No. 4001





Universal Puller on a wire-wheel car.



Pulling the hub of a Ford V8 car, using Adaptor.

This is the simplest and fastest wheel puller made. It pulls wheels of practically every car. Legs shown are quickly adjustable to any drum with 3, 4, 5, 6 or 7 studs, in a circle up to 6½" diameter. With No. 4001JT Legs, it is adaptable to any drum with studs in a circle up to 8". Regular legs are drilled to take up to 9/16" studs; 4001JT legs will take up to ¾" studs.

The Plomb Universal Wheel Puller makes other types of wheel pullers obsolete. For all cars, including Ford with adaptor shown above at right, and light trucks. With No. 4001JT jaws, listed below, pulls wheels of light trucks, such as Chevrolet and International.

Parts Specifications

*Temporarily discontinued

Cat. No.	Description	SETS 4001	*~~4001 A~~	*~~4001 TR~~
4001B	Puller Body, 6¾" Long	1	1	1
4001C	Ford Adaptor Cap Screws, 4½" Long	2	2	2
4001J	Leg—Standard Foot, 6" Long	3	3	....
4001JT	Leg—Extra Long Foot 6" Long	....	....	3
4001R	Ford Adaptor Ring	1	1	1
4001S	1" Puller Screw, 8" Long	1	1	1
* ~~4001T~~	~~Box~~	....	1	....
	Shipping Weight in lbs.	9½	11	11

4001T—Metal Box for Wheel Puller

Box, illustrated below is made of heavy-gauge sheet steel and the No. 4001 Wheel Puller fits into it as shown, 1½" deep, 8¼" wide, 8½" long. Three compartments.

No. 4001A—Wheel Puller in Metal Box.



1452 1454 1455 * 1456

*Temporarily discontinued

1458 1453 1457

FINEST DOLLY BLOCKS

1452 EGG-SHAPED DOLLY.
A very popular shape, with many different curves and radii. 1⅝" thick, 2½" wide, 3¾" lg. Wt. 2¾ lbs.

1453 RAILROAD OR GENERAL PURPOSE DOLLY.
A large variety of radii are provided in this dolly, with perfect hand fit. Heavy weight for bumping out dents, thin beading edge and 7½ square inches of working area on the large face are responsible for its popularity. Weight 3 pounds.

1454 RADIUS DOLLY.
A useful design that has many radii. Bottom and one side flat, forming a right angle. 1$^{9}/_{32}$" thick, 2$^{3}/_{16}$" wide, 4½" lg. Wt. 2 lbs. 10 oz.

1455 NEW BEAD DOLLY.
Use for beads or rolled fenders. Start with wedge end and finish with curved top. The flat side can be worked under long curve of fender. Thin edge useful for corners and beading. Comfortable hand grip. 4⅜" long, 2¾" wide, 1⅞" thick at top. Wt. 2½ lbs.

1457 SHRINKING DOLLY.
The unique shape, low crowned surface of this dolly gives it an all-purpose use where shrinking of body metal is concerned. Excellent also for raising beads and moulding. Wt. 2¼ lbs.

1458 HEEL DOLLY, SEMI-ELLIPTICAL.
This dolly provides two flat and two crowned working surfaces. Especially useful in restricted places and can be used for shrinking metal. Wt. 2 lbs.

1501 STRAIGHT FLEXIBLE PLOMB FILE.
New, quick-cutting type with curved teeth. Finest quality you can buy. 1⅜" wide, 14" long.



1508 ADJUSTABLE FILE HOLDER.
Simple adjustment makes file either concave or convex, or can be used for straight filing. Wood grips shaped to fit hands. 16" long when flat. Holder only.

PLOMB Streamlined Tools



HAMMERS

You will find a Plomb Hammer of every type for every purpose in Body and Fender Work.



THE PLOMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

No.	DESCRIPTION
1368	**RUBBER MALLET** Every repair man finds this hammer a necessity especially where a metal hammer would mar the surface. Wt. 24 oz. Length 15″
	SOFT TIPPED HAMMERS Removable tips of molded plastic. Will stand lots of pounding and still not damage the surface of the material. A Plomb innovation is one end with round face, the other cross pein.
1370	**8-oz. PLASTIC TIPPED HAMMER** With Cross Pein Tip.
1375	**16-oz. PLASTIC TIPPED HAMMER** With Cross Pein Tip.
1383	**8-oz. PLASTIC TIP HAMMER** With Round Tips.
1385	**16-oz. PLASTIC TIP HAMMER** With Round Tips.
	Extra Tips for above.
1370C	**RO. FACE TIPS**
1370D	**CROSS PEIN TIPS**
* 1386	**BLACKSMITH HAMMER** Long head for body fender and frame work. 3 lb.
* 1416	**LONG HEAD BUMPING HAMMER** Provides extreme clearance for late model fenders. Weight decreased and perfect balance achieved by means of semi-I-beam. Neck head 9″, clearance 6¾″, wt. 2¾ lbs.
1419	**MAGNETIC TRIM HAMMER** A favorite because of its long reach and head radii. The head is curved in about the arc of a natural swing. Length of head 5½″. Wt. 7 oz.
1421	**DINGING HAMMER** Has large face for roughing the bad ones into shape for finishing. Head 6″ long, 1¼″ and 1⅝″ round. Faces slightly crowned. Wt. 1¼ lb.
* 1422	**LIGHTWEIGHT FINISHING HAMMER** Ideal on dural or for straightening any light metal. 1″ round face and 13/16″ medium crowned Wt. 5 oz.

No.	DESCRIPTION
1424	**FINISHING HAMMER** Light of weight in perfect balance. Ro.face 1¼″ dia. slightly crowned 1-1/16″ sq. face. Wt. ½ lb.
1425	**FINISHING HAMMER** Heavier than 1424. Weight about ¾ lb. Ro. face slightly crowned. 1½″ dia. with 1⅛″ sq. face.
1426	**LONG BODY FINISHING HAMMER** For crowned fenders and other places where clearance is needed. 1⅜″ Ro. face slightly crowned. 3½″ clearance. Ro. cross pein 1⅛″ wide on other end. Has 4″ clearance. Wt. ¾ lb.
1427	**FINISHING HAMMER** Has wedge shaped cross pein 1″ wide, 2½″ clearance. Used for fender beads corner along panel beading, etc. Ro. face 1⅜″ dia. slightly crowned 2″ clearance. Wt. ½ lb.
1428	**PECKING HAMMER** Pointed end for picking out small dents. Ro. face for finishing. Head 5⅞″ long overall. 1½″ dia. slightly crowned Ro. face. Wt. 12 oz.
* 1429	**TURRET TOP PECKING HAMMER** Eliminates uncomfortable reaching. Handle 18″ long, reaches to center of turret top. Head 9″ overall. Wt. 1 lb. This hammer combines along curved pecking point with long necked ball-pein.
1430	**BRASS HAMMER** One of the most satisfactory soft hammers ever used. Wt. 1¾ lbs.
1448	**2-WAY HAMMER** A Plomb two-way hammer for you. Steel head with rubber head opposed. Just the hammer for mounting tires—drawing rivets. Also used by plumbers, machinists and woodworkers. Wt. 2¼ lbs. No. 1448B—Extra rubber heads.

TEMPORARILY DISCONTINUED
TEMPORARILY DISCONTINUED
TEMPORARILY DISCONTINUED
TEMPORARILY DISCONTINUED

PLOMB Streamlined Tools

Cannot be shipped complete from factory but can be assembled by distributor.

No. 1400-A

Body and Fender Tool Repair Set

Many mechanics are specializing in Body and Fender repair work. To be properly equipped is to own this extensive set of Hand Tools for such work. Look at the popular items it contains below.

Tool No.	Description
1421	Large Face Dinging Hammer
1424	Light Weight Finishing Hammer
1425	Med. Weight Finishing Hammer
1427	Wedge Shape Finishing Hammer
1428	Pecking Hammer
1452	Egg-type Dolly
1454	Radius Dolly
1455	New Type Bead Dolly
* ~~1386~~	~~Frame Hammer~~
1501	Straight Flexible File
1508	Adjustable File Holder
* ~~9920~~	~~Tote Tray~~

TOTAL OF 12 ITEMS

Shipping Weight # 25 Lbs.



No. 1400-B

Body and Fender Tool Repair Set

A small economical but very popular set containing, as noted below, the very necessary items that will stamp you a master of your trade.

Tool No.	Description
1419	Magnetic Trim Hammer
* ~~1422~~	~~Light Weight Finishing Hammer~~
1424	Small Size Finishing Hammer
1427	Wedge Shaped Finish Hammer
1428	Pecking Hammer
1452	Egg-Shaped Dolly
1454	Radius Dolly
1383	Plastic Hammer
1501	Straight Flexible File
1508	Adjustable File Holder
* ~~9920~~	~~Tote Tray~~

TOTAL OF 11 ITEMS

Shipping Weight, 19 Lbs.



*Temporarily discontinued

PLOMB

CHART OF STANDARD SIZES

Hexagon—Thread Diam. of Bolts						Size of Bolt Hd. or Nut In Inches	Square—Thread Diam. of Bolts				
U. S. Standard		S. A. E.	American Standard		Mfrs. Std.		U. S. Standard		U.S.S. or Am. Std.	Amer. Std.	Mfrs. Std.
Bolts & Nuts	Cap Screws	Bolts & Nuts	Bolts & Nuts	Cap Screws	Bolt Heads		Bolts & Nuts	Cap Screws	Set Screws	Bolts & Nuts	Bolt Heads
			0 & 1			5/32				0 & 1	
			2 & 3			3/16				2 & 3	
						7/32					
			4			1/4				4	
1/8	1/8		5 & 6			5/16				5 & 6	
			8			11/32				8	
3/16	3/16		10			3/8			3/8	10	1/4
	1/4	1/4	12 & 1/4	1/4	1/4	7/16		5/16	7/16	12 & 1/4	
						15/32					5/16
1/4	5/16	5/16		5/16		1/2	1/4	3/8	1/2		
					5/16	17/32					
	3/8	3/8	5/16	3/8		9/16		7/16	9/16	5/16	3/8
5/16						19/32	5/16				
	7/16	7/16	3/8	7/16	3/8	5/8		1/2	5/8	3/8	
						21/32					7/16
3/8						11/16	3/8	9/16			
					7/16	23/32					
	1/2	1/2	7/16	1/2		3/4		5/8	3/4	7/16	1/2
7/16						25/32	7/16				
	9/16		1/2	9/16	1/2	13/16				1/2	
						27/32					9/16
1/2	5/8	9/16	9/16	5/8		7/8	1/2	3/4	7/8	9/16	
					9/16	29/32					
		5/8	5/8			15/16				5/8	5/8
9/16						31/32	9/16				
	3/4	11/16		3/4	5/8	1			1		
5/8		3/4				1 1/16	5/8				
	7/8		3/4	7/8		1 1/8				3/4	3/4
					3/4	1 3/16					
3/4	1	7/8				1 1/4	3/4	1	1 1/4		
			7/8	1		1 5/16				7/8	7/8
	1 1/8				7/8	1 3/8		1 1/8			
7/8		1				1 7/16	7/8				
	1 1/4		1	1 1/8		1 1/2			1 1/2	1	1
					1	1 9/16					
1	1 3/8	1 1/8				1 5/8	1				
			1 1/8	1 1/4		1 11/16				1 1/8	1 1/8
					1 1/8	1 3/4					
1 1/8		1 1/4				1 13/16	1 1/8				
			1 1/4			1 7/8				1 1/4	1 1/4
					1 1/4	1 15/16					
1 1/4		1 3/8				2	1 1/4				
						2 1/16					1 3/8
					1 3/8	2 1/8					
1 3/8		1 1/2				2 3/16	1 3/8				
			1 1/2			2 1/4				1 1/2	1 1/2
					1 1/2	2 5/16					
1 1/2						2 3/8	1 1/2				
						2 7/16					1 5/8
					1 5/8	2 1/2					
1 5/8						2 9/16	1 5/8				
			1 3/4			2 5/8				1 3/4	1 3/4
					1 3/4	2 11/16					
1 3/4						2 3/4	1 3/4				
1 7/8						2 15/16	1 7/8				
			2			3				2	
2						3 1/8	2				
			2 1/4			3 3/8				2 1/4	
2 1/4						3 1/2	2 1/4				
			2 1/2			3 3/4			2 1/2		
2 1/2						3 7/8	2 1/2				
			2 3/4			4 1/8			2 3/4		
2 3/4						4 1/4	2 3/4				
			3			4 1/2			3		

THE PLOMB LINE IS THE FULL LINE OF QUALITY TOOLS

PRINTED
IN U.S.A.